

**ANNUAL REPORT ON RESULTS OF MAMMOTH COMMUNITY
WATER DISTRICT GROUNDWATER MONITORING PROGRAM
FOR OCTOBER 2009-SEPTEMBER 2010**

**Prepared for
Mammoth Community Water District
Mammoth Lakes, California**

**by
Kenneth D. Schmidt and Associates
Groundwater Quality Consultants
Fresno, California**

December 14, 2010

KENNETH D. SCHMIDT AND ASSOCIATES
GROUNDWATER QUALITY CONSULTANTS
600 WEST SHAW SUITE 250
FRESNO, CALIFORNIA 93704
TELEPHONE (559) 224-4412

December 14, 2010


Mr. Greg Norby, General Manager
Mammoth Community Water District
P.O. Box 597
Mammoth Lakes, CA 93546

Re: Annual Report on Groundwater Monitoring

Dear Greg:

Submitted herewith is our annual report on the results of the District groundwater monitoring program for the period October 2009-September 2010. I appreciate the cooperation of District personnel in conducting this monitoring and providing data tabulations.

Sincerely yours,



Kenneth D. Schmidt
Geologist No. 1578
Certified Hydrogeologist
No. 176

KDS/td

cc: Steve Kronick




TABLE OF CONTENTS

	<u>Page</u>
LIST OF TABLES	iii
LIST OF ILLUSTRATIONS	iv
INTRODUCTION	1
SUMMARY AND CONCLUSIONS	2
WELL CONSTRUCTION DATA	4
SUBSURFACE GEOLOGIC SECTION A-A'	7
PRECIPITATION	10
DISTRICT PUMPAGE	11
WATER LEVELS	13
District Supply Wells	13
New Wells	13
Earlier Wells	23
Deep Monitor Wells	26
Shallow Monitor Wells	44
Water-Level Elevation Contours	55
CHEMICAL QUALITY AND TEMPERATURE OF GROUNDWATER	57
MAMMOTH CREEK STREAMFLOW	58
VALENTINE RESERVE SPRINGFLOW	59
DATA EVALUATION AND INTERPRETATION	59
REFERENCES	61
APPENDIX A	PUMPAGE AND WATER-LEVEL DATA FOR DISTRICT SUPPLY WELLS
APPENDIX B	PUMPAGE AND WATER-LEVEL HYDROGRAPHS FOR EARLIER SUPPLY WELLS

Continued:

TABLE OF CONTENTS
(Continued)

APPENDIX C WATER-LEVEL MEASUREMENTS FOR MONITOR WELLS

APPENDIX D SUPPLEMENTARY WATER-LEVEL HYDROGRAPHS FOR MONITOR WELLS

APPENDIX E CHEMICAL ANALYSES OF WATER FROM DISTRICT WELLS

APPENDIX F MAMMOTH CREEK STREAMFLOW

LIST OF TABLES

<u>No.</u>	<u>Title</u>	<u>Page</u>
1	Construction Data for District Supply Wells	6
2	Construction Data for District Monitor Wells	8
3	Pumpage from District Wells (Acre-Feet)	12

LIST OF ILLUSTRATIONS

No.	Title	Page
1	Location of Wells and Subsurface Geologic Cross Section A-A'	5
2	Subsurface Geologic Cross Section A-A'	(pocket)
3	Water-Level and Pumpage Hydrograph for Well No. 15	14
4	Water-Level and Pumpage Hydrograph for Well No. 16	16
5	Water-Level and Pumpage Hydrograph for Well No. 17	18
6	Water-Level and Pumpage Hydrograph for Well No. 18	20
7	Water-Level and Pumpage Hydrograph for Well No. 20	22
8	Water-Level Hydrograph for Well No. 14M	30
9	Water-Level Hydrograph for Well No. 19	32
10	Water-Level Hydrograph for Well No. 21	34
11	Water-Level Hydrograph for Well No. 24	37
12	Water-Level Hydrograph for SC-1	41
13	Water-Level Hydrograph for SC-2	43
14	Water-Level Hydrograph for Well No. 22 and Pumpage for Well No. 15	45
15	Water-Level Hydrograph for Well No. 22 and Mammoth Creek Streamflow	46
16	Water-Level Hydrograph for Well No. 23 and Pumpage for Well No. 1	48
17	Water-Level Hydrograph for Well No. 23 and Mammoth Creek Streamflow	49

Continued:

LIST OF ILLUSTRATIONS
(Continued:)

<u>No.</u>	<u>Title</u>	<u>Page</u>
18	Water-Level Elevations in September 2010	56
19	Flow for Valentine Spring (1993-2001) and Mammoth Creek Streamflow (1993-2010)	60

ANNUAL REPORT ON RESULTS OF MAMMOTH COMMUNITY
WATER DISTRICT GROUNDWATER MONITORING PROGRAM
FOR OCTOBER 2009-SEPTEMBER 2010

INTRODUCTION

In Summer 1992, the Mammoth County Water District contracted for the drilling of five new test wells in Mammoth Lakes. One of these wells (No. 15) was converted to a supply well and pumping began on an emergency basis in Summer 1992. In December 1992, the California Department of Fish and Game filed an action against the District in Superior Court. Concerns were expressed by the Department about the potential impact of pumping of these wells on wild-life, vegetation, and fishery resources of Mammoth Creek and the Hot Creek headsprings, which is located downstream of the District wells. Kenneth D. Schmidt and Associates (KDSA) completed a hydrogeologic evaluation (July 6, 1993) on behalf of the District, to respond to these concerns. In August 1993, a settlement agreement was made between the Department and the District. As part of this agreement, the District was to:

1. Conduct routine monitoring in all District supply and monitor wells.
2. Install a new monitor well tapping consolidated rock at a location south of the District office.
3. Conduct monitoring in the new monitor well.
4. Prepare an annual interpretive report on the results of

groundwater monitoring for the water year.

Data available to the District from Wells SC-1 and SC-2 (part of the Long Valley hydrologic monitoring program) were to be included in this evaluation. This report comprises the nineteenth annual report pursuant to the settlement agreement. The Mammoth County Water District is now the Mammoth Community Water District.

SUMMARY AND CONCLUSIONS

The District pumped 1,206 acre-feet of water from eight supply wells during the 2010 water year. This was thirty percent less than the pumpage for the previous water year. A comprehensive water-level monitoring program was conducted for District supply wells and monitor wells. In addition, water-level measurements were available for two other monitor wells east of the District wells. Flow measurements were not available for the springs at the University of California Valentine Reserve for the 2010 water year.

Water levels in most shallow wells tapping the uppermost glacial till strata were relatively stable during 2009-10, as the precipitation was near normal. Groundwater is generally present in the uppermost strata only in the westerly and central part of the area, in the meadow and near Mammoth Creek. Water levels in

most of the District supply wells were about the same in 2010 as in 2009. Water levels in most other deep wells tapping the consolidated rock in or near the District well field were also stable during the 2010 water year. Water levels in deep wells just east of the District well field were generally stable or slightly fell during the 2010 water year. Water levels in the farthest east wells that were monitored also were stable or slightly fell during 2010. A water-level elevation contour map was prepared for September 2010. This map and other information indicate that the extent of the cone of depression due to pumping of District wells was limited in size, and did not extend to the east to District Monitor Wells No. 24 or 26.

The results of water quality monitoring during the 2010 water year indicated the same trends as previous monitoring.

The results of the 2009-2010 monitoring indicate that District pumping did not influence Mammoth Creek streamflow. Flow data for the springs at the Valentine Reserve for the 2002-10 water years are not available. District pumping was not indicated to have influenced flows at the Valentine Reserve springs through the 2001 water year (the last year of available records). In addition, water-level declines due to pumping did not extend beyond the vicinity of the well field. Thus, there was no influence on the Hot Creek headsprings, which are much

more distant from the District water supply wells than the monitor wells utilized for the District monitoring program.

WELL CONSTRUCTION DATA

Figure 1 shows locations of District wells, a private supply well, a subsurface geologic cross section, two other monitor wells to the east (SC-1 and SC-2), and the spring area at the Valentine Reserve. Table 1 summarizes construction data for the District supply wells. All of these wells tap consolidated rock, primarily basalt and scoria layers, and some also tap interbedded glacial till and conglomerate. Well No. 1 has been in service since the 1970's and Wells No. 6 and 10 have been in service since 1988. These three wells are termed the "earlier" District supply wells in this report. Well No. 15 was first put in service in July 1992 on an emergency basis. Well No. 18 was put in service in September 1994. Wells No. 16 and 20 were put in service in March 1995; and Well No. 17 was put in service in June 1995. Wells put in service in the 1992-95 time period are termed the "newer" District supply wells in this report. Wells No. 2, 3, 4, 5, and 7 (shown in Figure 1) were not put in service by the District because of low well yields. Wells No. 2 and 3 were subsequently destroyed, whereas the other wells were converted to monitor wells. A small amount of water was pumped from Well No. 7 in Summer 2010 for use at the Boys Camp.




FIGURE 1 - LOCATION OF WELLS AND SUBSURFACE GEOLOGIC CROSS-SECTION A-A'

TABLE 1 - CONSTRUCTION DATA FOR DISTRICT SUPPLY WELLS

<u>Well No.</u>	<u>Date Drilled</u>	<u>Drilled Depth (feet)</u>	<u>Cased Depth (feet)</u>	<u>Perforated or Open Interval (feet)</u>	<u>Annular Seal (feet)</u>
1	1976	382	370	200-370	0-90
6	11/87	670	670	146-670	0-52
10	10/87	700	700	136-700	0-52
15	8/92	720	407	407-720	0-135
16	8/92	710	715	420-470 500-680	0-60
17	7/92	710	513	400-710	0-60
18	8/92	710	480	90-150 240-470	0-60
20	9/92	710	420	420-710	0-60

Wells No. 16, 17, 18, and 20 were modified in June 1994 in preparation for being put into service. The test wells that were drilled in 1992 and subsequently converted to production wells are termed herein the "new District supply wells".

Test Well No. 25 was drilled in August 2002, and was not in service during the 2002-2010 water years. This well was drilled to a depth of 700 feet, at a site north of Well No. 1 and east of Well No. 16. This well has been used as a monitor well. Table 2 summarizes construction data for District monitor wells. Eight of these wells (No. 5A, 14M, 19, 21, 24, 25, 26, and 30) are deep and primarily tap water in fractured volcanic rock. Well No. 7 is a deep well located south of the basalt flow and taps water in a glacial moraine near Sherwin Creek. Well No. 11 is a deep well located south of the basalt flow and taps water in glacial till and granitic rocks. An annular seal was placed in Well No. 21 in July 1997, to preclude surface water and shallow groundwater from entering the well. Well No. 5M taps water in the shallow fractured volcanic rock, just beneath the glacial till. The remaining monitor wells are shallow and tap groundwater in the uppermost glacial till or alluvium.

SUBSURFACE GEOLOGIC SECTION A-A'

Cross Section A-A' was developed during a previous evaluation, and was updated (Figure 2) by adding more recent water-level data. The locations of wells used for this section are shown in Figure 1. Cross Section A-A' shows that the uppermost till layer and volcanic rocks are continuous along the section. Groundwater has been found in the uppermost glacial till layer

TABLE 2 - CONSTRUCTION DATA FOR DISTRICT MONITOR WELLS

Well No.	Date Drilled	Drilled Depth (feet)	Cased Depth (feet)	Perforated or Open Interval (feet)	Annular Seal (feet)
4M	1984	89	89	69-89	0-50
5A	7/82 (8/93)	357	357	112-357	0-112
5M	8/93	80	80	20-75	0-20
7	8/87	480	480	290-480	0-50
10M	6/88	27	27	7-27	0-5
11	7/88	600	600	170-360	0-50
11M	6/88	43	43	5-43	0-5
12M	9/88	27	27	7-27	0-5
14M	9/88	520	501	100-310	0-100
19	8/92	700	344	200-700	0-140
21	10/92 (7/97)	640	145 (157)	145-640 (157-640)	(70-157)
22	9/92	85	85	55-85	0-25
23	9/92	65	65	30-65	0-25
24	8/93	450	430	300-450	0-20
25	8/02	700	530	340-530	0-60
26	5/06	708	686	621-686	0-80 & 595-620
27	1/06	97	87	67-87	0-64
28	12/05	90	87	47-57 67-87	0-45 57-65
29	11/05	97	97	77-97	0-60
30	12/05	640	600	516-600	0-500

Well No. 5 was modified in August 1993, so as to be sealed off opposite the glacial till and be perforated only opposite the volcanic rock, and re-designated Well No. 5A. An annular seal was placed in No. 21 in July 1997, and the values in parentheses are for the modified well.

FIGURE 2
SUBSURFACE GEOLOGIC CROSS SECTION A-A'
(IN POCKET)

only in the vicinity of District Wells No. 1, 4, 6, 10, 11, 12, and 15. Most of these wells are either in the meadow or near Mammoth Creek. Water production in the District supply wells is from highly fractured rock, often scoria layers, and sometimes from interbedded glacial till. The intervening less fractured rock probably acts as local confining layers. At Well No. 24, water was not found in the upper part of the basalt or in either of the till layers. Water in this well is in a fractured scoria layer. A lost circulation zone present in this well may influence the water level. In September 2010, there was a fairly uniform water-level slope (about 200 feet per mile) from Well No. 1 to No. 19 to No. 24. The part of the section east of Well No. 24 is oriented almost perpendicular to the direction of groundwater flow (shown later).

PRECIPITATION

Precipitation (inches of water) is routinely measured at the Lake Mary Store, and is an indication of the potential recharge to groundwater. The mean annual precipitation from 1990-2010 was 28.7 inches. During water years 1991-94, the annual precipitation ranged from about 20 to 29 inches and averaged about 22.5 inches. During water years 1995-2000, annual precipitation ranged from about 30 to 46 inches and averaged about 39 inches. During water years 2001-04, the annual precipitation ranged from about

20 to 25 inches and averaged 22.0 inches. During the 2005-06 water year, the precipitation was 50.7 inches. Precipitation at the Lake Mary Store was only 15.5 inches during the 2006-07 water year and 16.3 inches during the 2007-08 water year, or about half of the long-term average. During the 2008-09 water year, the precipitation was 25.9 inches or about ninety percent of the long-term average. During the 2009-10 water year, the precipitation was 24.8 inches or about eighty-five percent of the long-term average. Trends in precipitation are useful when evaluating water-level changes in wells that have been measured as part of this program.

DISTRICT PUMPAGE

Pumpage records for District supply wells are provided in Appendix A. Table 3 shows monthly pumpage from District wells during the 2010 water year. The total pumpage was 1,206 acre-feet, or 30 percent less than that for the previous water year. Of this, 617 acre-feet were from Well No. 10, 358 acre-feet were from Well No. 6, and 150 acre-feet were from Well No. 17. The remaining District pumpage (81 acre-feet) was from Wells No. 1, 15, 16, 18, and No. 20. The pumpage records for the Snow Creek Golf Course Well (in the general vicinity of Well No. 14M) are still being worked up for the 2010 water year. This well is owned by a private entity. About 100,000 gallons were pumped

2,120,750
Ft³

TABLE 3- PUMPAGE FROM DISTRICT WELLS (ACRE-FEET)

MG Totals	Months and Years												MG	ACFT
	2009			2010										
Wells	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep		
1	1.19	0.34	0.26	2.08	0.01	0.38	2.88	0.00	0.07	0.97	1.97	0.25	10.40	31.91
6	2.66	5.50	1.98	5.09	4.35	3.68	17.28	9.70	8.22	17.18	22.37	18.75	116.77	358.18
10	5.55	6.80	7.42	14.75	15.71	12.32	26.05	21.98	5.34	32.35	29.38	23.33	200.99	616.54
15	8.83	2.05	0.00	0.00	0.00	0.00	0.00	1.15	0.13	0.00	0.13	0.64	12.93	39.66
16	1.34	0.32	0.00	0.00	0.00	0.00	0.06	0.00	0.03	0.00	0.00	0.00	1.76	5.40
17	4.93	2.66	0.00	0.03	0.03	0.06	0.00	1.12	16.06	16.51	3.07	4.48	48.96	150.18
18	0.72	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.07	0.01	0.22	1.05	3.21
20	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.01	0.11	0.04	0.00	0.00	0.21	0.64
MG	25.23	17.68	9.67	21.95	20.10	16.45	46.32	33.97	29.98	67.13	56.91	47.67	393.06	1206.27
ACFT	77.42	54.25	29.67	67.37	61.69	50.47	142.14	104.26	92.02	206.01	174.67	146.29	1206.27	

from Well No. 7 for use at the Boys Camp during 2010.

WATER LEVELS

District Supply Wells

Water-level measurements (static and pumping) for District supply wells are provided in Appendix A. Water-level hydrographs for the earlier wells (No. 1, 6, and 10) are provided in Appendix B. The years discussed for hydrographs in the following sections are for calendar years, unless specified otherwise.

New Wells

Figure 3 is a water-level and pumpage hydrograph for Well No. 15, extending back to when it was initially put in service in July 1992. In Summer 1992, the water level fell about 80 feet after several months of pumping, and normally ranged from about 260 to 280 feet during periods when the well was being significantly used through early 1995. During periods when the well was not used much for supply (i.e., May 1995-June 1998), the water level rose substantially. In June 1998, the depth to water in Well No. 15 was 156 feet, or the shallowest of record. In October 2003, depth to water in this well was 303 feet. The shallowest annual water level in this well fell from 156 feet in 1998 to 242 feet in 2004. The water level in this well in Summer 2005 was near that in Summer 2004. In 2007, the shallowest water




FIGURE 3-WATER-LEVEL AND PUMPAGE HYDROGRAPH FOR WELL NO. 15

level was about ten feet shallower than in 2005. In late Summer 2007, the water level was about 50 feet deeper than in 2006. In September 2008, depth to water in Well No. 15 was 310 feet, the deepest of record. The water level rose about 30 feet between late 2008 and mid-2009 and then fell about 17 feet after July 2009. The water level in this well rose substantially after September 2009. This rise was primarily due to substantially reduced pumping from this well. Depth to water in Well No. 15 appears to be influenced primarily by the previous pumping history of the well and recharge.

Figure 4 is a water-level and pumpage hydrograph for Well No. 16. The water level in this well changed substantially after the casing was installed (July 1994) and after the pump was installed (February 1995). After the casing was installed and prior to the pump installation, an access tube was not in the well, and the measurements during that period were apparently affected by cascading water. The measurements for July 1994-early February 1995, and for April-May, 1998 appear to not be representative. During heavy pumping periods of Well No. 20, the static level in Well No. 16 has been about 12 feet lower than during periods of lower pumping of Well No. 20. There were seasonal declines of about 20 to 30 feet during pumping periods of this well in 2002. Overall, shallow static levels in Well No. 16 were




FIGURE 4-WATER-LEVEL AND PUMPAGE HYDROGRAPH FOR WELL NO. 16

relatively stable between 1992 and 2003, and fell in 2004. In Summer 2004, water levels in this well were the lowest of record. This was likely due to the below normal precipitation in previous years. Water levels in this well slightly rose during 2005, and then rose about ten feet during the 2006 water year. There was essentially no pumpage from this well during the 2006 water year. Pumpage from Well No. 16 resumed in 2007 and in 2008. Because of a restriction in the sounding tube, the water level in this well wasn't measured between July 2006 and early April 2010. In April 2010, a data logger was installed and reliable transducer measurements are available from April 19 to September 30, 2010. The water level rose 7 feet between April-September 2010.

Figure 5 is a water-level and pumpage hydrograph for Well No. 17. Measurements in early 1995 indicated that the water level apparently rose about eight feet, probably due to recharge. The water level in Well No. 17 appears to be influenced by pumpage of Well No. 20. During operational periods of both of these wells, the static level in Well No. 17 has been about four feet lower than during periods of little pumpage. The water level in Well No. 17 gradually rose during November 1995-August 1999, except during some pumping periods. The shallowest depth to water yet measured in this well was in January 2000. The water level in this well fell during 2000-2005 due to heavier pumping of this well and less recharge compared to previously. The water level in this well rose about nine feet during 2006 and early 2007 due to recharge. The water level fell about two feet between April




FIGURE 5-WATER-LEVEL AND PUMPAGE HYDROGRAPH FOR WELL NO. 17

and September, 2007. The water level in Well No. 17 rose about a foot in late 2007 and early 2008, and the water level then fell about four feet through September 2008. The water level rose three feet in November 2008 and then fell four feet through March 2009. The water level then rose six feet through July 2009, and then fell one foot through September 2009. The water level in Well No. 17 fell through January 2010, was stable for January-June, 2010, then fell due to pumping of the well.

Figure 6 shows water levels and pumpage for Well No. 18. The overall trend for this well during non-operational periods was a slight water-level rise through 1997. The water level was relatively constant during 1998-early 2002. In early June 1998, the water level in Well No. 18 was 30 feet deep, the shallowest yet measured. The water-level decline of about ten feet in this well during July 1998 appears to have been due to pumping of Wells No. 10 and 15. The water level in this well was 108 feet in September 2002, the lowest for the period of record. Water levels in this well stayed relatively constant during 2002-05. The water level rose almost 40 feet during the 2006 water year, primarily due to increased recharge. The water level in this well fell about 45 to 50 feet after March 2007, and this was primarily due to pumpage of the well. The water level in this




FIGURE 6-WATER-LEVEL AND PUMPAGE HYDROGRAPH FOR WELL NO. 18

well stayed about 100 feet deep between July 2007 and December 2008, fell about six feet by April 2009 (due to pumping of the well), then rose about 20 feet by September 2009. The water level slightly fell through April 2010, then rose after pumping of the well stopped.

Figure 7 is a water-level and pumpage hydrograph for Well No. 20. From 1994-98, the overall trend was a rising water level. The shallowest levels in Well No. 20 to date were in late 1998 and early 1999. The water level in this well fell after early 2001. The water-level declines in this well during the summers of 1999-2002 were mainly due to pumping of the well itself. The water level in this well may also be affected by pumpage of Well No. 17. The water level in Well No. 20 recovered significantly in 2003, due to a lack of pumping prior to August. During 2002-05, water levels in this well stayed relatively constant. The water level rose almost 20 feet during 2006-07. After early June 2007, the water level in this well fell about 40 feet, primarily due to pumping of the well. The water level rose after September 2007 through August 2008, then fell in September 2008. The water level rose ten feet from November 2008 to June 2009, then fell eight feet through September 2009 (due to pumpage of the well). The water level rose after January 2010, when the pumpage from the well was small.




FIGURE 7-WATER-LEVEL AND PUMPAGE HYDROGRAPH FOR WELL NO. 20

Earlier Wells

Water-level and pumpage hydrographs for Wells No. 1, 6, and 10 are provided in Appendix B. The static water level in Well No. 1 has ranged from about 160 to 200 feet during low pumping periods to an average of about 270 feet during heavy pumping periods (i.e., August 1994). Overall, the water level in this well rose between 1992 and 1997, slightly declined from 1997 to Spring 2002, fell during 2002-03, and then rose in 2004-05. In June 1998, depth to water in this well was 160 feet, or the shallowest measured since 1990. During the 2006 water year, the water level in this well was relatively stable until July, when it fell about 10 feet due to increased pumping of the well. The water level in Well No. 1 rose about 35 feet from July 2006 until March 2007. After March 2007, the water level had fallen about 60 feet by early August 2007 due to pumping of the well. The water level then rose about 18 feet due to a reduction in pumpage from the well. The water level in Well No. 1 fell 47 feet during June-September, 2008 due to pumpage of the well. The water level rose 57 feet by July 2009, and then fell about 20 feet by September 2009, due to pumpage of the well. After September 2009, the water level generally rose, when pumpage from the well was minimal.

The static water level in Well No. 6 has ranged from less

than 30 feet during low pumping periods (after September 1995) to more than 160 feet during heavy pumping periods (August-September, 1994). During May-September, 1996, in part of 1997, and during late 1999 through Fall 2001, the static level in this well was at or above the land surface. This well wasn't pumped during September 1997-September 2001. After pumping of the well resumed in October 2001, the water level fell to about 50 to 70 feet deep through May 2003. The water level then rose more than 49 feet by June 2004. Later in Summer 2004, the water level fell to a depth of about 117 feet, due to increased pumping from the well. In September 2005, depth to water was 44 feet. The well was pumped only a small amount during water year 2006, and the water level had recovered to a depth of about seven feet by March 2006. The water level in Well No. 6 had fallen about 30 feet by July 2007 and another 30 feet by September 2007, primarily due to pumping of this well. The water level in Well No. 6 rose 33 feet between September and November 2007. The water level in Well No. 6 then fell almost 50 feet between November 2007 and September 2008, associated with pumping the well. The water level then rose about 65 feet through June 2009, then fell about 25 feet through September 2009 due to pumping of the well. The water level in Well No. 6 then rose through December 2009, before falling about 25 feet by May 2010. The water level rose 30 feet by June 2010.

The water level then fell about 35 feet by September 2010.

The static water level in Well No. 10 has ranged from less than 30 feet deep during the low pumping periods (July 1995), to more than 160 feet during heavy pumping periods (Summer 1993). During the 1996-2000 water years, depth to water was usually less than 30 feet, except for short periods. In August 2001, the well began to be pumped more and the water level was usually about 70 to 90 feet deep during the 2002 water year. During Summer 2005, the water level fell to a depth of about 137 feet, near the level in 1994. However, by late September 2005, depth to water was 63 feet, following the cessation of summer pumping. During the 2006 water year, the water level rose to a depth ranging from about 10 to 15 feet deep. This was largely associated with a large reduction in pumping from Wells No. 6 and 10 during 2006. In 2007, the water level in this well fell about 55 feet, primarily due to pumping of the well. The water level in Well No. 10 rose almost 20 feet during September-November 2007, due to a reduction in pumpage. The water level then fell about 30 feet during November 2007-March 2008. The water level in Well No. 10 rose about 10 feet during March-July, 2008, and then fell almost 30 feet during July-September, 2008. The water-level declines during 2007-08 were associated with pumping of the well. After September 2008, the water level rose about 60 feet through June 2009, then fell

about 10 feet through September 2009. The water level in Well No. 10 then gradually rose through December 2009, then fell more than 30 feet by May 2010. The water level then rose more than 35 feet through June 2010, before falling an equal amount by September 2010.

Deep Monitor Wells

Water-level measurements for monitor wells are provided in Appendix C, and supplementary water-level hydrographs are provided in Appendix D. Transducers were installed in four of the deep monitor wells (No. 14M, No. 19, No. 21, and No. 24), and continuous water-level measurements commenced in December 1995. The transducers in Wells No. 19 and 21 were subsequently removed, and installed in Wells No. 26 and 30.

Well No. 5A is located between Well No. 1 and the Valentine Reserve North Spring (Figure 1). Measurements for Well No. 5A indicate that depth to water has ranged from near the land surface to about seven feet. From 1995-99, the annual shallowest level was near the land surface, and overall the water level rose. Seasonal water level declines in this well ranged from about three to four feet during 2000-2002. These declines are indicated to have been due to pumping of Well No. 18 and possibly Well No. 15. The shallowest annual water level in Well No. 5A fell about six feet between 1999 and 2004. However, this level

rose to a depth of about 2.5 feet in May 2005, to about 3.0 feet in June 2006, and was near the land surface in July 2007. This was associated with a decrease in pumpage from Well No. 18. The water level in this well fell about four feet after July 2007, probably primarily due to pumping of Well No. 18. The water level in Well No. 5A rose two and a half feet during September 2007-July 2008, then fell two and a half feet during July-September, 2008. The water level rose two and a half feet between October 2008 and June 2009, then fell about two feet by September 2009. The water level in this well was relatively stable through April 2010, then rose about two and a half feet by May 2010. The water level then fell through September 2010.

Well No. 7 is located in the Sherwin Creek campground, about one and a third miles east of Well No. 6. Measurements for Well No. 7 indicate that depth to water has ranged from 233 to 292 feet. The water level in this well appears to be primarily influenced by recharge from Sherwin Creek. The influence of recharge during 1995 and 2005-06 is apparent. Drawdowns of about 10 to 20 feet during 2000-2003 were apparently due to the pumping of the well itself. The shallowest annual level in this well fell about twenty feet between 1998 and 2003. The lower water levels in 2003 are attributed partly to more pumpage from the well than previously. Water levels in this well could not be

measured in 2004-05 because of a malfunctioning sounding tube. The shallowest water level of record in Well No. 7 (234 feet) was measured in late July 2006, associated with more recharge. The water level in this well fell about 12 feet during Summer 2007, primarily due to pumpage of the well. The water level in Well No. 7 fell 15 feet between September 2007 and June 2008. The water level then rose almost 10 feet during June, then fell about 10 feet through the end of August 2008. The water level in Well No. 7 rose two feet in September 2008. The water level fell about ten feet between September 2008 and May 2009, and then rose three feet by June 2009. The water level in Well No. 7 was relatively stable through June 2010, then rose about 12 feet by August 2010.

Well No. 11 is located in the meadow area, about one quarter mile south of Well No. 10. The water-level measurements for Well No. 11 indicate that the deepest level (51 feet) was in May 1993, and the shallowest levels were near the land surface during most of the period after July 1995. The water level in this well has been influenced by surface flow, particularly in the Bodle Ditch, which passes through the meadow area, and apparently by pumping of Wells No. 6 and 10. The water levels were deepest during drought conditions and heavy pumping of Wells No. 6 and 10. The shallowest water levels occurred during wet years and low or moderate pumping of Wells No. 6 and 10. As of 2010, the water

level in this well was still near the land surface.

Well No. 14M is located about two-thirds mile east of Well No. 15. The manual water-level measurements for Well No. 14M (Figure 8) indicate that the depth to water normally ranged from about 350 to 360 feet prior to June 1995. The annual shallowest water level in this well rose between 1994 and 1998 and between 1999 and 2000. The rise was primarily associated with recharge and the reduction in pumping of Wells No. 6 and 10 at those times. In July 2002, depth to water in Well No. 14M was 235 feet, or the shallowest of record. The water level in this well fell about 95 feet between July 2000 and January 2002, primarily due to pumping of Wells No. 6 and 10. The water level in this well was relatively stable during 2003-04, then rose significantly in June 2005, apparently due to recharge. By November 2005, the water level fell back to near the previous levels. Recharge was indicated in 2006, as the water level rose about 55 feet. The water level in Well 14M then fell about 35 feet in 2006-07, associated with pumping of wells in the vicinity. The water level in Well No. 14M rose about 10 feet after April 2007, then had fallen about 50 feet by April 2008. During April 2008-September 2009, the water level in this well was relatively stable. The water level in Well No. 14M was relatively stable from May 2008 through May 2010. The water level then rose about




FIGURE 8 - WATER-LEVEL HYDROGRAPH FOR WELL NO. 14M

25 feet by August 2010. The water level in this well shows the influence of recharge and pumping patterns of Wells No. 6 and 10, and the Snow Creek Golf Course well. Transducer measurements that are considered reliable are available for Well No. 14M for November 1, 1996-September 30, 2003, except for October 1997, June 1998, and March 2001. The transducer was recalibrated in May 2003, and the 2001-03 measurements agree well with the manual measurements. Reliable transducer measurements are also available from December 14, 2003 through July 31, 2004, December 10, 2004-July 6, 2005, August 12-October 30, 2005, November 30, 2005-May 26, 2006, and August 28, 2007-December 7, 2007. The transducer was recalibrated on April 1, 2007. There was a data logger failure in early September 2007. The transducer was in operation by October 10, 2007. Reliable transducer measurements are available from October 10, 2007 to December 10, 2009. The transducer started malfunctioning on December 10, 2009, and a new transducer was installed as of August 19, 2010. Reliable transducer measurements were available for the rest of the 2010 water year.

Well No. 19 is located about four-fifths of a mile east of Well No. 1. Based on manual measurements (Figure 9), the water level in Well No. 19 has ranged from about 312 to 357 feet deep. The water level in this well generally rose from 1995-98. In October 1997, depth to water was 312 feet, or the shallowest yet




FIGURE 9 - WATER-LEVEL HYDROGRAPH FOR WELL NO. 19




FIGURE 9 - WATER-LEVEL HYDROGRAPH FOR WELL NO. 19

measured. During 1999, the water level in Well No. 19 fell about 30 feet, to below the levels in 1994 and early 1995. However, there was no decline during 2000-2004. During this period, depth to water in this well was usually about 340 to 345 feet. The water level in this well slightly rose in 2005 and 2006. Since 2006, the water levels in this well have been relatively stable. Transducer readings that are considered fairly reliable are available for this well from November 1, 1996-September 10, 1997, from November 1, 1997-September 30, 1998, except for June 1998, and from May 4-September 30, 2003 (Appendix D). The transducer in Well No. 19 was recalibrated in May 2003. Reliable transducer measurements are also available from December 4, 2003 through the end of July 2004. The transducer was recalibrated on November 3, 2004 and measurements were reliable for the rest of the 2005 water year. The transducer was recalibrated on April 1, 2007. Reliable transducer measurements are available for October 1, 2005-February 22, 2006 and May 9-November 6, 2007. The data logger in this well was removed on November 6, 2007 and placed in another well.

Well No. 21 is located about three-fourths of a mile east of Well No. 20. Based on manual measurements, the water level in Well No. 21 (Figure 10) has ranged from about 231 to 370 feet in depth. The water level in this well rose significantly between




FIGURE 10 - WATER-LEVEL HYDROGRAPH FOR WELL NO. 21

early 1995 and late 1996. There was a water-level decline in this well from December 1996-February 1997, and the water level then rose through June 1997. Most of the rise is attributed to recharge, which may have been enhanced due to a lack of an annular seal in the well. An annular seal was placed in this well during July 1997. Since July 1997, the water level in this well has been relatively constant (about 230 to 235 feet deep). The water level rose about three and a half feet during the 2006 water year. In September 2007, the water level in this well temporarily fell about five feet, and then recovered. The water level in this well temporarily fell about four feet during October 2007-September 2008, then recovered by October 2008. During October 2008-September 2010, the water level was relatively stable. The water-level measurements in this well have indicated no significant response due to pumping of District wells. Transducer measurements that are considered reliable are available for Well No. 21 from November 1, 1996-May 31, 1997, November 1, 1997-September 30, 1998 (except for June 1998), and May 4, 1999-September 21, 2005 (Appendix D). The transducer in this well was recalibrated in May 2003 and in November 2004. Reliable transducer measurements are available for October 7, 2005-September 30, 2007. The data logger in this well was removed before October 2007.

Well No. 24 is located about one mile east of Well No. 19.

Figure 11 is a water-level hydrograph for Well No. 24, based on manual measurements. Measurements for this well began in Summer 1993, and depth to water has ranged from 352 to 394 feet. The water level rose after early 1995, to the shallowest depth yet measured (351 feet) in December 1998. The water level fell during 2002-03, and was relatively constant in 2004. After November 2004, the water level in Well No. 24 rose about nine feet. During the 2006 water year, the water level rose about ten feet. The water level in this well rose through May 2007, then stabilized. The water level in this well fell 25 feet between August 2007 and May 2010. The water level then rose about four feet through July 2010. The water level in this well responds primarily to recharge, and no influence of District pumping is apparent. Transducer measurements are not available for this well between April 3, 1997 and April 30, 1998, due to equipment failure. The transducer was recalibrated on January 1, 2001. Transducer measurements for this well after this calibration were generally consistent with manual measurements through early October 2001. Transducer measurements between mid October 2001 and early May 2002 were found to not be reliable. The transducer was removed from the well and recalibrated on May 9, 2002. Reliable transducer measurements are available for the rest of the 2002 water year through the end of the 2005 water year, and




FIGURE 11 - WATER-LEVEL HYDROGRAPH FOR WELL NO. 24

for the 2006 water year. The transducer was recalibrated on April 7, 2006. Reliable transducer measurements for the 2007 water year are available through September 16. All of the data from the data logger for the 2008 water year was lost by the District. The transducer was recalibrated and reactivated on October 7, 2009, and reliable records are available for the rest of the 2010 water year.

In summary, water level in Well No. 19 was relatively constant from 2001 to 2009 and the water level in Well No. 21 was relatively constant after early 1997. The water level in Well No. 24 rose during early 2001, fell from May-October, 2001, rose through early 2002, fell consistently during the rest of 2002-04, rose during 2005-07, and then fell during 2008-09 and early 2010. Water levels in Wells No. 19 and 21 haven't been noticeably influenced by District pumping. The water levels in Wells No. 7 and 24 are primarily influenced by factors unrelated to District pumping. The most likely factor is variations in recharge due to climatic conditions.

Water-level hydrographs for Wells No. 25, 26, and 30 are provided in Appendix D. Well No. 25 is located north of District Well No. 1. Water-level measurements for Well No. 25 commenced in late 2002 and are available through July 2007. To date, the water level in Well No. 25 has responded primarily to pumpage of nearby District Well No. 1. Depth to water has ranged from 305

to 337 feet, and has been deepest during the late summer periods. During 2002-2007, the water level in this well rose, and the shallowest measured water level to date was in May 2007. Water levels in this well have not been measured since July 2007 because of no access.

Well No. 26 is located to the east, north of Well No. 24. The water level in Well No. 26 fell from a depth of 249 feet in June 2006 to almost 269 feet in December 2009, primarily due to decreased recharge during dry years. After January 2010, the water level in this well rose about eleven feet by June 2010, and then fell about seven feet by September 2010. Reliable transducer measurements for this well are available from December 11, 2007-December 13, 2007. The data logger in this well was removed on December 13, 2007 and reinstalled on April 1, 2008. The data logger was operational from April 1 to 16, 2008, and then was removed for the rest of the water year. The data logger was reinstalled in April 2009 and was operational through the end of the water year. The transducer started malfunctioning on February 4, 2010 and a new transducer was installed as of August 16, 2010.

Well No. 30 is located east of the Snow Creek Golf Course. Water levels in Well No. 30 rose 13 feet between June 2006 and May 2007, and then fell 14 feet between October 2007 and September 2009. A data logger was installed in this well on June 25, 2008 and was operational through the end of the 2010 water

year. The records for 2010 are still being worked up by the District.

Figure 12 is a water-level hydrograph for SC-1, which taps groundwater in the upper part of the basalt east of the District wells. The water level in this well generally fell from June 1983 through early 1995. However, some water-level rise occurred during this period due to recharge. Significant recharge was evident during 1995, 1996, and 1998. The shallowest water levels measured in SC-1 were in June 1983 and late July 1995. In July 1998, depth to water in SC-1 was near that in August 1983. Overall, the water level in this well was relatively stable during 1996-2000. The shallowest annual water level then fell about seven feet between 2000 and 2002, rose slightly in 2003, and fell about five feet in 2004. The shallowest seasonal water level then rose about 18 feet in 2005 and another 13 feet in early 2006. The seasonal low water level also rose between 2005 and 2007. These rises were due to increased recharge. The water level in Well SC-1 rose about three feet during April-July, 2008, then fell about six feet during July-December, 2008. The water level then rose about six feet through June 2009 and then fell about ten feet through February 2010. then fell about six feet during July-December, 2008. The water level then rose about six feet through June 2009 and then fell about ten feet through February 2010. The water level then rose about 12 feet by July 2010, and then fell about 10 feet by September 2010.




FIGURE 12 - WATER-LEVEL HYDROGRAPH FOR SC-1

Figure 13 is a water-level hydrograph for SC-2, which taps groundwater in the deeper basalt near SC-1. Comparison of the hydrographs for SC-1 and SC-2 indicates that water levels in the two wells fluctuate similarly. However, the water-level rises are less in the deeper monitor well than in the shallower monitor well, as would be expected if the rises are mainly due to recharge, the source of which is from the land surface. The water level in SC-2 was about 156 feet deep in June 2004, or about the same as in June 1995. The water level in SC-2 generally rose during 1995-98, was relatively stable during 1999-2000, and fell about 27 feet from June 2000-December 2004. The water level in this well rose about seven feet between March and July of 2005. The water level then rose another ten feet during the 2006 water year and continued to rise in 2007. The water level in this well fell about 12 feet during October 2007-May 2009. The water level then rose two feet by June 2009 and then fell seven feet by March 2010. The water level then rose about four feet by July 2010, and then fell about four feet by September 2010. Water-level variations in SC-1 and SC-2 are indicated to be due to climatic variations and not due to District well pumpage. This conclusion is primarily based on the water-level hydrographs for the easterly District wells and water-level elevation data (Figures 2 and 18).




FIGURE 13 - WATER-LEVEL HYDROGRAPH FOR SC-2

Shallow Monitor Wells

A water-level hydrograph for Well No. 22 is provided in Figure 14. Pumpage of nearby Well No. 15 is also plotted on this figure. The water level in Well No. 22 is not related to pumpage of Well No. 15, which taps groundwater in the deeper consolidated rock. The water level in this well responds primarily to recharge from Mammoth Creek streamflow (Figure 15). Well No. 22 was dry until June 17, 1993 and during 1994-early 1995. The shallowest water level in Well No. 22 (71 feet) was in August 1995. Depth to water in this well rose about 12 feet during May-July, 1995, due to recharge corresponding to high flows (exceeding 40 cfs) in Mammoth Creek. During 1996-2007, the water-level trends in Well No. 22 also followed the pattern of streamflow in Mammoth Creek. Between early 1997 and May 2005, the water level in Well No. 22 was the lowest during December 2001-May 2002, September 2004, and May 2005 associated with low streamflow during or prior to those periods. During July-November, 2006, the water level in Well No. 22 was the shallowest since 1997. After January 2007, the water level in Well No. 22 fell to near the lowest historical level by August-September, 2007. The temporary water-level rise in October 2007 was due to the District adding water to the well on September 30, 2007 in an attempt to redevelop it prior to a subsequent pump test. Water levels in Well No. 22 were frequently measured during a two-week pump test on Well No.




FIGURE 14-WATER-LEVEL HYDROGRAPH FOR WELL NO. 22 AND PUMPAGE FOR WELL NO. 15




FIGURE 15-WATER-LEVEL HYDROGRAPH FOR WELL NO. 22 AND MAMMOTH CREEK STREAMFLOW

15 during October 24-November 7, 2007. Measurements indicated no influence of pumping Well No. 15 on water levels in Well No. 22 (KDSA, 2008). The well was dry from February 2008 through May 2010. The water level rose almost five feet by June 2010, then fell about four feet by September 2010.

A water-level hydrograph based primarily on manual measurements for Well No. 23 and pumpage for nearby Well No. 1 are shown in Figure 16. Depth to water in Well No. 23 has ranged from about 5 to 17 feet during the period of record. The shallowest water levels were in the spring and early summer of 1993, 1995, 2005, 2007, and 2010. Depth to water in this well is not influenced by pumpage of Well No. 1, which taps groundwater in the deeper consolidated rock. Well No. 23 is located relatively close to Mammoth Creek and is clearly influenced by recharge from streamflow (Figure 17), and possibly from other local sources of recharge. On August 1, 1996, a float-type continuous water-level recorder was installed in Well No. 23. Some problems were experienced with this recorder, but reliable measurements were obtained during most of 1997-2005. No recorded measurements are available for the 2006 water year. A transducer was operational in Well No. 23 from May 2007-March 26, 2008. The data logger was non-operational from March 26-May 13, 2008, and then was operat-




FIGURE 16-WATER-LEVEL HYDROGRAPH FOR WELL NO. 23 AND PUMPAGE FOR WELL NO. 1




FIGURE 17-WATER-LEVEL HYDROGRAPH FOR WELL NO. 23 AND MAMMOTH CREEK STREAMFLOW

ational for the rest of the 2008, 2009, and 2010 water years.

Water-level hydrographs for the remaining shallow monitor wells are provided in Appendix D. Well No. 4M is located in the meadow area east of District Wells No. 6 and 10. The water levels in this well rose significantly between early 1995 and early 1998, due to significant surface water flow in the meadow. Depth to water fluctuations in this well have followed patterns of Bodle Ditch flows, rising during periods when flows are present in the ditch. In May 1998, the water levels in this well were the shallowest since 1988. The annual shallowest water level in this well fell about 20 feet between 1998 and 2004. In 2004, depth to water in this well was about the same as in 1989. However, in 2005, the shallowest annual water level was 24 feet deep, shallower than in 2004, and near the shallowest level in 2001. During May-June 2006, the water level was about 14 feet deep, the shallowest of record. After June 2007, the water level in Well No. 4M fell to a depth of about 40 feet by March 2008. The water level rose five feet during March-May 2008, then fell three feet by the end of September 2008. The water level rose five feet through July 2009, then fell about four feet by January 2010. The water level then rose about eight and a half feet by June 2010. The water level then fell about four and a half feet by September 2010.

Well No. 5M is located about one-half mile east of Well No. 1. Well No. 5M taps the shallow volcanic rock, and no water was observed in the overlying glacial till at the time of drilling of this well. Depth to water in Well No. 5M has ranged from about 2.5 to 9.5 feet. The shallowest levels have been in the spring and early summer, and the deepest in the summer. The annual shallowest water level in this well fell about four feet between 1998 and 2004, due to decreased recharge. The annual shallowest water level rose about four feet in 2005, then fell about half a foot in 2006. By July 2007, the water level in this well was at the land surface. The water level then fell to about four feet deep by September 2007. The water level rose four feet during October 2007-May 2008, then fell four feet during May-September 2008. The water level rose five feet through May 2009, then fell four and a half feet through the end of September 2009. The water level rose gradually through March 2010 then rose about five and a half feet by May 2010. The water level then fell about 2.7 feet by September 2010. A data logger has been operational in this well since October 2008 .

Well No. 10M was dry from October 1992 through June 10, 1993. Some water appeared in this well during June 17-August 19, 1993, and during June 6-June 20, 1996. The well was otherwise dry from late 1992 through December 4, 1996. During 1998-mid 2001, there was water in Well No. 10M most of the time. This

well is adjacent to District Well No. 10, and the water level in Well No. 10M is primarily influenced by pumping of this well and also by local recharge. The influence of pumping of nearby Well No. 10 was demonstrated by an aquifer test when the well was newly developed. This influence on shallow groundwater is in contrast to that observed near District Well No. 15, where no such influence has been demonstrated. Well No. 10M was dry from July 2001 to Spring 2006, due to increased pumping from Well No. 10 during 2001-05. The water level in Well No. 10M then rose to the shallowest level of record (about 10 feet) by May 2006. After May 2006, the water level in this well fell, and the well became dry by June 2007. The well was dry during June 2007-September 2010.

Well No. 11M is located in the southwest part of the meadow area near the Bodle Ditch. Water levels in this well have seasonal fluctuations that correspond to flows in the ditch. The shallowest water levels have generally been in June-July. Water levels gradually declined during 1989-92, but rose significantly after 1992. The water level began to rise significantly in April 1996, and the shallowest level yet measured (about four feet deep) was in June 1996. The shallowest water level for Well No. 11M fell about nine feet between 1998 and 2001, due to decreased recharge. However, the shallowest water level in this well in 2002 was higher than in 2001, and near the level in 2000. The

shallowest water level in Well 11M was about two and a half feet higher in 2004 than in 2003. The shallowest water level in this well was relatively constant from 2002-04. In 2005 and 2006, the shallowest water levels were about five feet deep, near the shallowest of record. After June 2006, the water level in Well No. 11M fell to a depth of 28 feet in September 2007. The water level fell one foot during September 2007-March 2008, then rose 13 feet during March-July, 2008. The water level then fell six feet during July-September, 2008. The water level gradually rose eight feet through June 2009, then rose ten feet by July 2009. The water level then fell 14 feet through November 2009. The water level then rose about 17 feet through June 2010. The water level then fell about 12 feet by September 2010. Long-term water-level fluctuations in Well No. 11M are related to wet and dry cycles and the associated recharge.

Well No. 12M is located in the western part of the meadow area. The water level in this well has responded significantly to a number of recharge events. The water level in this well began to rise significantly in April 1996, and reached the shallowest level of record (4.5 feet) in June 1996. The shallowest water level in Well No. 12M fell about nine feet between 1998 and 2004. However, the water level in this well rose about seven feet in 2005, and rose another foot in 2007. After June 2006, the water level in this well fell, and by August 2007 the well

was dry. The water level in this well rose after December 2007, and by June 2008 had risen about seven feet. The water level rose about one foot by mid-August 2008. In late August, the water level fell about 1.5 feet, then remained stable in September 2008. The well was dry from September through June 2009. The water level then rose 11 feet through July 2009, then fell about 16 feet through November 2009. The water level then rose about 17 feet by June 2010. The water level then fell about 11 feet by September 2010. The long-term water-level trends for this well are due to recharge.

Water-level hydrographs for Wells No. 27, 28, and 29 are provided in Appendix D. Well No. 27 is located east of Well No. 20. Depth to water in Well No. 27 has ranged from about 32 to 60 feet. The water level has risen in the spring and fallen during the summer and fall. The water level was about 48 to 50 feet deep from September 2009 to April 2010, then rose to the shallowest depth of record in June 2010. Overall, the water level in this well has been stable or slightly risen. Recharge appears to be the primary influence on water levels in this well. Depth to water in Well No. 28 has ranged from about 24 to 81 feet. The water level in this well fell between August 2006 and March 2009. The water level then rose about four feet by August 2009. The water level then fell about seven feet by April 2010. After May 2010, the water level rose about 20 feet by September 2010. Well

No. 28 is located south of the Old Mammoth Road stream gage and is equipped with a data logger. Reliable records are available from February 2007 to September 2010. Depth to water in Well No. 29 has ranged from 63 feet to 98 feet. The water level in this well rose about 11 feet during June-October, 2007, then fell about 35 feet through March 2010. The water level then rose about six feet through September 2010. In summary, the water levels in most of the shallow monitor wells generally rise during wet periods and fall during dry periods. This is due to varying amounts of recharge during these periods.

Water-Level Elevation Contours

Figure 18 shows water-level elevation contours for late September 2010. The hydrologic boundary is shown north of Wells No. 1 and 5A and south of Wells No. 16 and 25. This boundary is believed to be present only west of a line connecting Wells No. 14M and 21. A cone of depression was evident due to pumping of District Wells No. 1, 6, 10, 15, 16, 17, and 20. This cone of depression did not extend east of Well No. 19. The overall direction of groundwater flow in early September 2009 was similar to that shown in the previous annual reports. This map shows only the horizontal component of groundwater flow in the basalt and interbedded glacial till. Other evidence (i.e., water levels in SC-1 and SC-2) indicates that there is also significant downward flow of groundwater in most of the area.




FIGURE 18 - WATER-LEVEL ELEVATIONS IN SEPTEMBER 2010

CHEMICAL QUALITY AND TEMPERATURE OF GROUNDWATER

The results of chemical analyses and temperatures of water for the supply wells during the 2010 water year are provided in Appendix E. Water samples have generally been collected monthly from the active supply wells since November 2006. The monitor wells were not sampled during the 2007-10 water years. Transducers are installed in a number of the deep monitor wells to continuously measure water levels. Because of these transducers, it was not feasible to collect water samples from these wells during 2007-10 water years. The coldest water (55°F or less) has normally been from shallow monitor wells in the meadow area and in water from the supply wells tapping consolidated rock, south of the hydrologic boundary. In contrast, the warmest water (60°F or greater) has been from the wells tapping consolidated rock north of the hydrologic boundary, closer to the known area of relatively shallow geothermal water in Mammoth Lakes, and from Well No. 18 (south of this boundary). The lowest electrical conductivity values (less than 200 micromhos per centimeter at 25°C) have normally been for shallow monitor wells and Wells No. 7 and 11. The highest values (greater than 430 micromhos) have been for wells tapping the consolidated rock in the western part of the area.

Records for water from Well No. 20 have indicated some temporary increases for temperature and electrical conductivity

during 1996-2010. Water from Wells No. 16, 17, 18, and 20 showed an overall decrease in pH during 1996-2009. In 2010 this trend was no longer evident. These are the westernmost District supply wells. In 2007-10, the pH values in water from these wells were generally low (usually about 6.1 to 6.7). Low pH groundwater is known to be present beneath parts of Mammoth Mountain.

MAMMOTH CREEK STREAMFLOW

Records of streamflow at the outlet from Twin Lakes and the Old Mammoth Road crossing during the 2010 water year are provided in Appendix F. The mean monthly flow at the Old Mammoth Road crossing ranged from 6.4 cfs in September 2010 to 118 cfs in June 2010.

Average daily flows for the upstream (Twin Lakes) and downstream (Old Mammoth Road) stations during the 2010 water year are plotted in Appendix F. A comparison of these daily flows indicates that the streamflow at the Old Mammoth Road crossing equaled or exceeded that of the Twin Lakes outflow, except during July 24. On that day the downstream streamflow was about 8 cfs less than the upstream flow. Pumpage from the District wells was 5.0 cfs on that day. The District well pumpage doesn't correlate with these apparent losses in streamflow. During October 24-November 7, 2007, a comprehensive aquifer test was conducted by the District, using Well No. 15 as the pumped well. As part of

the test, pumpage of Well No. 15, streamflow at Old Mammoth Road, and water levels in a number of wells were measured. The results indicated no influence of pumping Well No. 15 on streamflow in Mammoth Creek (KDSA, 2008).

VALENTINE RESERVE SPRINGFLOW

Commencing in 2001, flow measurements at the Valentine Reserve were extended to another spring, which has a considerably larger flow than the previously monitored spring. Longer records are available for the previously monitored spring. However, no springflow records have been provided since 2001. Figure 19 shows flow of the previously monitored spring (1993-2001) and Mammoth Creek streamflow at Old Mammoth Road (1993-2010). The springflow correlated well with Mammoth Creek streamflow during the period of record. The lowest springflows were in 1993, 1994, and 2001, following periods of low winter precipitation. Springflow often increased in the fall prior to winter precipitation. This was primarily due to lower air temperatures and decreased evapotranspiration of shallow groundwater. Monitoring results for the previous years indicate no noticeable impact of District pumping on springflow at the Valentine Reserve.

DATA EVALUATION AND INTERPRETATION

Water-level hydrographs for most of the monitor wells tapping the uppermost glacial till strata in and near the Dis-




FIGURE 19 - FLOW FOR VALENTINE SPRING (1993-2001) AND MAMMOTH CREEK STREAMFLOW (1993-2010)

trict well field indicated relatively stable water levels during the 2010 water year. Water-level hydrographs for most of the District supply wells indicated about the same water levels in 2010 as in 2009. Water levels in wells tapping consolidated rocks in the area east of the District well field either stayed the same or fell during the 2010 water year.

The water-level elevation contour map for September 2010 confirms that the cone of depression due to pumping of District wells is localized, and did not extend east to Well No. 24. Because the water levels in the consolidated rock in the well field are well below the channel of Mammoth Creek, there is no apparent impact of District pumping on streamflow. There has been no impact on flow of the springs at the Valentine Reserve (for periods when records are available), on streamflow in Mammoth Creek, or on the flow of the Hot Creek headsprings due to pumping of the District supply wells.

REFERENCES

- Kenneth D. Schmidt and Associates, "Results of Summer 1993 Aquifer Test, Mammoth County Water District Well No. 15", November 9, 1993, 22 p.
- Kenneth D. Schmidt and Associates, "Annual Report on Results of Mammoth County Water District Groundwater Monitoring Program for October 1992-September 1993", December 13, 1993, 30 p.
- Kenneth D. Schmidt and Associates, "Annual Report on Results of Mammoth Community Water District Groundwater Monitoring Program for October 1993-September 1994", December 14, 1994, 34 p.

Kenneth D. Schmidt and Associates, "Annual Report on Results of Mammoth Community Water District Groundwater Monitoring Program for October 1994-September 1995", December 11, 1995, 41 p.

Kenneth D. Schmidt and Associates, "Annual Report on Results of Mammoth Community Water District Groundwater Monitoring Program for October 1995-September 1996", December 12, 1996, 43 p.

Kenneth D. Schmidt and Associates, "Annual Report on Results of Mammoth Community Water District Groundwater Monitoring Program for October 1996-September 1997", December 8, 1997, 45 p.

Kenneth D. Schmidt and Associates, "Annual Report on Results of Mammoth Community Water District Groundwater Monitoring Program for October 1997-September 1998", December 9, 1998, 43 p.

Kenneth D. Schmidt and Associates, "Annual Report on Results of Mammoth Community Water District Groundwater Monitoring Program for October 1998-September 1999", December 9, 1999, 45 p.

Kenneth D. Schmidt and Associates, "Annual Report on Results of Mammoth Community Water District Groundwater Monitoring Program for October 1999-September 2000", December 13, 2000, 47 p.

Kenneth D. Schmidt and Associates, "Annual Report on Results of Mammoth Community Water District Groundwater Monitoring Program for October 2000-September 2001", December 11, 2001, 46 p.

Kenneth D. Schmidt and Associates, "Annual Report on Results of Mammoth Community Water District Groundwater Monitoring Program for October 2001-September 2002", December 12, 2002, 50 p.

Kenneth D. Schmidt and Associates, "Annual Report on Results of Mammoth Community Water District Groundwater Monitoring Program for October 2002-September 2003", December 11, 2003, 46 p.

Kenneth D. Schmidt and Associates, "Annual Report on Results of Mammoth Community Water District Groundwater Monitoring Program for October 2003-September 2004", December 10, 2004, 47 p.

Kenneth D. Schmidt and Associates, "Annual Report on Results of Mammoth Community Water District Groundwater Monitoring Program for October 2004-September 2005", December 14, 2005, 47 p.

Kenneth D. Schmidt and Associates, "Annual Report on Results of Mammoth Community Water District Groundwater Monitoring Program for October 2005-September 2006", December 13, 2006, 50 p.

Kenneth D. Schmidt and Associates, "Annual Report on Results of Mammoth Community Water District Groundwater Monitoring Program for October 2006-September 2007", December 13, 2007, 51 p.

Kenneth D. Schmidt and Associates, "Results of 14-Day Pump Test on Mammoth CWD Well No. 15", prepared for Mammoth Community Water District, Mammoth Lakes, California, April 2008, 23 p.

Kenneth D. Schmidt and Associates, "Annual Report on Results of Mammoth Community Water District Groundwater Monitoring Program for October 2007-September 2008", December 15, 2008, 58 p.

Kenneth D. Schmidt and Associates, "Annual Report on Results of Mammoth Community Water District Groundwater Monitoring Program for October 2008-September 2009", December 14, 2009, 59 p.




FIGURE 2 - SUBSURFACE GEOLOGIC CROSS SECTION A - A'

APPENDIX A

**PUMPAGE AND WATER-LEVEL DATA
FOR DISTRICT SUPPLY WELLS**

MAMMOTH COMMUNITY WATER DISTRICT
TOTAL ANNUAL PUMPAGE
HISTORIC

Water Year	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Total MG	Total ACFT
1983-1984	0.00	0.03	1.99	2.14	0.01	3.46	0.01	3.43	7.19	17.97	1.59	6.32	44.11	135.31
1984-1985	0.00	0.74	8.20	7.11	1.82	6.38	4.36	11.57	8.45	12.75	20.10	12.40	93.87	287.94
1985-1986	5.82	4.30	7.02	4.63	3.67	3.22	0.87	5.75	9.72	13.71	21.64	3.31	83.65	256.60
1986-1987	0.00	9.26	10.35	12.95	9.09	12.89	13.49	14.35	22.18	25.60	22.79	18.53	171.48	526.01
1987-1988	7.39	8.92	15.23	15.32	17.67	18.97	7.78	12.98	18.95	15.85	16.73	17.53	173.32	531.66
1988-1989	9.43	19.20	23.44	28.78	23.16	27.01	2.03	2.98	7.77	62.73	55.23	45.08	306.83	941.19
1989-1990	15.12	18.66	23.64	16.63	18.18	12.33	23.57	13.99	38.57	45.93	58.80	62.66	348.07	1067.70
1990-1991	31.26	23.09	27.27	55.85	43.16	0.00	32.07	30.84	15.31	39.06	58.66	57.97	414.54	1271.59
1991-1992	32.15	53.14	26.23	26.06	39.35	36.29	48.05	24.80	52.15	96.86	134.69	100.77	670.52	2056.82
1992-1993	85.02	51.46	81.72	62.40	75.59	37.44	42.58	28.97	73.03	78.32	77.67	59.25	753.44	2311.17
1993-1994	14.95	0.48	7.73	24.76	9.84	26.92	21.09	29.36	40.53	79.60	103.25	64.57	423.07	1297.77
1994-1995	16.59	11.26	32.43	37.27	32.11	35.27	32.79	19.97	18.98	45.75	77.74	43.02	403.17	1236.71
1995-1996	6.01	4.02	16.36	12.16	12.80	11.15	4.61	10.57	38.20	58.80	74.64	52.67	301.99	926.35
1996-1997	27.29	7.57	19.26	14.69	12.66	12.04	11.41	17.65	28.78	66.08	78.57	46.42	342.40	1050.31
1997-1998	13.72	4.77	13.56	8.74	8.25	9.91	6.47	2.00	22.27	75.80	80.22	38.06	283.78	870.49
1998-1999	14.58	5.69	12.75	12.36	5.53	5.59	5.67	18.73	56.93	80.67	74.96	50.60	344.05	1055.37
1999-2000	24.72	3.80	12.25	15.85	7.56	9.33	5.37	32.53	72.28	101.80	91.34	55.90	432.74	1327.42
2000-2001	8.99	3.69	15.36	16.91	25.45	19.52	48.09	50.41	82.94	88.02	158.63	135.89	653.90	2005.83
2001-2002	78.82	42.42	38.59	48.01	55.96	77.66	58.41	44.16	96.84	106.65	134.88	111.35	893.74	2741.55
2002-2003	71.15	41.84	38.96	51.01	56.78	62.34	48.38	45.89	122.49	114.56	125.63	91.19	870.22	2669.37
2003-2004	63.26	10.10	27.05	36.09	33.08	20.98	5.63	45.38	63.56	93.19	117.67	93.15	609.14	1868.51
2004-2005	45.71	15.22	57.26	57.42	56.22	74.21	63.50	60.60	73.84	112.16	97.98	58.76	772.87	2370.75
2005-2006	10.69	6.61	15.81	10.80	23.47	32.80	14.69	19.52	48.24	60.61	67.68	54.78	365.68	1121.72
2006-2007	12.73	1.96	0.30	1.47	5.16	17.36	8.58	59.02	116.66	173.63	155.84	122.96	675.65	2072.55
2007-2008	46.40	31.47	52.03	59.72	50.50	54.28	39.30	47.34	65.41	76.24	132.64	125.00	780.33	2393.66
2008-2009	57.72	5.29	42.39	45.27	15.75	52.59	35.18	20.82	26.48	71.10	90.82	98.79	562.18	1724.49
2009-2010	25.23	17.68	9.67	21.95	20.10	16.45	46.32	33.97	29.98	67.32	56.91	47.67	393.25	1206.29
Mean	26.84	14.91	23.59	26.16	24.55	25.79	23.34	26.21	46.58	69.66	81.01	62.02	450.67	1382.41
Maximum	85.02	53.14	81.72	62.40	75.59	77.66	63.50	60.60	122.49	173.63	158.63	135.89	893.74	2741.55
Minimum	0.00	0.03	0.30	1.47	0.01	0.00	0.01	2.00	7.19	12.75	1.59	3.31	44.11	135.31
Ave MGD	0.87	0.50	0.76	0.84	0.88	0.83	0.78	0.85	1.55	2.25	2.61	2.07		

MAMMOTH COMMUNITY WATER DISTRICT
TOTAL PUMPAGE

Well 1

MG Totals												
	2009			2010								
Days	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1	0.00	0.07	0.00	0.41	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.27	0.00	0.40	0.00	0.00	0.15	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.52	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.52	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.21	0.00	0.00	0.19	0.00	0.00	0.00	0.00	0.10
6	0.00	0.00	0.00	0.00	0.00	0.00	0.48	0.00	0.00	0.00	0.17	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.34	0.00	0.00	0.00	0.27	0.08
8	0.00	0.00	0.00	0.01	0.00	0.00	0.37	0.00	0.00	0.00	0.00	0.01
9	0.00	0.00	0.00	0.00	0.00	0.00	0.48	0.00	0.04	0.00	0.00	0.07
10	0.12	0.00	0.00	0.00	0.00	0.00	0.48	0.00	0.00	0.00	0.10	0.00
11	0.28	0.00	0.00	0.00	0.00	0.00	0.38	0.00	0.00	0.00	0.00	0.00
12	0.43	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.13	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.21	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.00
21	0.00	0.00	0.25	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.33	0.00
22	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.00
24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.35	0.16	0.00
25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.08	0.00
26	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.18	0.13	0.00
27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.00	0.00
28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.16	0.18	0.00
29	0.18	0.00	0.00	0.01		0.04	0.00	0.00	0.00	0.17	0.18	0.00
30	0.00	0.00	0.00	0.00		0.00	0.00	0.00	0.00	0.00	0.03	0.00
31	0.00		0.00	0.00		0.00		0.00		0.00	0.01	
Grand Total	1.19	0.34	0.26	2.08	0.01	0.38	2.88	0.00	0.07	0.97	1.97	0.25

MAMMOTH COMMUNITY WATER DISTRICT
TOTAL PUMPAGE

Well 6

MG Totals												
	2009			2010								
Days	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1	0.00	0.77	0.00	0.61	0.00	0.00	0.00	0.48	0.10	0.48	0.93	0.83
2	0.00	0.80	0.00	0.10	0.00	0.06	0.51	0.54	0.00	0.64	0.70	0.80
3	0.00	1.06	0.00	0.00	0.16	0.00	0.96	0.58	0.00	0.64	0.74	0.80
4	0.00	0.90	0.00	0.00	0.10	0.00	0.90	0.32	0.00	0.61	0.74	1.12
5	0.00	0.32	0.00	0.00	0.00	0.06	0.93	0.35	0.00	0.67	0.45	0.83
6	0.00	0.61	0.00	0.26	0.06	0.16	0.74	0.61	0.00	0.35	0.45	0.96
7	0.00	0.00	0.00	0.32	0.26	0.06	0.90	0.45	0.00	0.42	1.09	0.80
8	0.00	0.00	0.00	0.16	0.00	0.06	0.26	0.45	0.00	0.42	0.86	0.74
9	0.00	0.03	0.00	0.19	0.00	0.03	0.67	0.54	0.10	0.42	0.67	0.61
10	0.00	0.10	0.00	0.26	0.06	0.00	0.61	0.38	0.00	0.54	0.67	0.58
11	0.00	0.00	0.00	0.03	0.00	0.13	0.58	0.45	0.00	0.48	0.74	0.67
12	0.00	0.35	0.00	0.26	0.16	0.13	0.61	0.32	0.16	0.38	0.67	0.86
13	0.00	0.32	0.00	0.06	0.13	0.16	0.77	0.19	0.00	0.42	0.61	0.67
14	0.00	0.00	0.00	0.06	0.06	0.16	0.58	0.00	0.03	0.42	0.61	0.64
15	0.00	0.00	0.00	0.06	0.06	0.16	0.58	0.00	0.00	0.35	0.64	0.74
16	0.00	0.00	0.00	0.26	0.26	0.00	0.51	0.03	0.16	0.45	0.70	0.48
17	0.00	0.06	0.00	0.35	0.51	0.00	0.58	0.06	0.00	0.51	0.74	0.42
18	0.00	0.00	0.00	0.51	0.42	0.00	0.61	0.00	0.06	0.51	0.64	0.67
19	0.00	0.00	0.00	0.00	0.38	0.06	0.51	0.45	0.42	0.42	0.67	0.80
20	0.00	0.00	0.00	0.00	0.51	0.00	0.54	0.54	0.00	0.54	0.67	0.42
21	0.03	0.00	0.16	0.00	0.48	0.06	0.38	0.42	0.51	0.64	0.51	0.35
22	0.00	0.00	0.32	0.00	0.19	0.06	0.48	0.61	0.35	0.77	0.83	0.70
23	0.00	0.00	0.06	0.42	0.13	0.00	0.51	0.61	0.90	0.77	0.86	0.35
24	0.00	0.00	0.19	0.26	0.19	0.26	1.09	0.10	0.86	0.99	0.64	0.32
25	0.00	0.00	0.13	0.00	0.00	0.32	0.00	0.35	0.96	0.93	0.83	0.80
26	0.00	0.00	0.10	0.00	0.10	0.13	0.48	0.54	0.90	0.26	0.54	0.64
27	0.29	0.16	0.32	0.00	0.10	0.38	0.54	0.13	0.51	0.48	0.80	0.45
28	0.10	0.00	0.13	0.13	0.03	0.32	0.38	0.00	0.86	0.38	0.90	0.26
29	0.74	0.00	0.19	0.22		0.32	0.64	0.06	0.61	0.64	0.96	0.06
30	0.93	0.03	0.19	0.00		0.26	0.45	0.06	0.74	0.70	0.67	0.38
31	0.58		0.19	0.58		0.32		0.06		0.96	0.83	
Grand Total	2.66	5.50	1.98	5.09	4.35	3.68	17.28	9.70	8.22	17.18	22.37	18.75

MAMMOTH COMMUNITY WATER DISTRICT
TOTAL PUMPAGE

Well 10

MG Totals												
	2009			2010								
Days	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1	1.10	0.02	0.19	1.15	0.51	0.00	0.00	0.86	0.22	1.31	1.25	0.86
2	1.07	0.00	0.00	0.42	0.00	0.03	0.64	0.86	0.00	1.25	0.96	0.93
3	1.06	0.00	0.00	0.00	0.45	0.00	1.12	0.83	0.00	1.15	0.93	0.80
4	1.01	0.00	0.00	0.00	0.38	0.03	1.12	0.86	0.06	1.31	0.90	1.18
5	0.85	0.48	0.00	0.03	0.00	0.26	1.09	0.74	0.00	1.28	0.61	1.18
6	0.46	0.78	0.00	0.64	0.19	0.51	0.99	0.99	0.00	0.96	0.86	1.15
7	0.00	0.61	0.00	0.77	0.99	0.48	0.93	0.83	0.00	0.99	1.18	0.83
8	0.00	0.30	0.00	0.61	0.29	0.19	0.51	0.83	0.00	0.90	1.22	0.80
9	0.00	0.35	0.00	0.77	0.00	0.13	0.80	0.96	0.03	0.99	0.96	0.80
10	0.00	0.78	0.00	0.80	0.10	0.26	0.80	0.74	0.00	1.28	0.93	0.83
11	0.00	0.00	0.00	0.51	0.00	0.48	0.70	0.80	0.03	1.28	0.90	0.74
12	0.00	0.43	0.00	0.48	0.64	0.54	1.06	0.90	0.61	0.93	0.83	1.09
13	0.00	0.35	0.00	0.35	1.06	0.58	0.96	0.70	0.00	0.93	1.06	0.70
14	0.00	0.00	0.00	0.48	0.99	0.54	0.90	0.13	0.06	1.02	0.86	0.70
15	0.00	0.00	0.00	0.45	0.90	0.58	0.90	1.18	0.00	1.02	0.93	0.80
16	0.00	0.00	0.00	0.74	0.90	0.19	0.93	0.29	0.54	0.90	0.86	0.51
17	0.00	0.16	0.00	0.90	0.67	0.00	0.93	0.83	0.06	1.25	1.02	0.51
18	0.00	0.00	0.00	0.64	0.83	0.00	0.99	0.90	0.13	1.22	0.86	1.02
19	0.00	0.00	0.00	0.22	0.77	0.61	0.99	0.74	0.06	0.99	0.90	1.12
20	0.00	0.00	0.00	0.13	0.90	0.70	0.96	0.90	0.00	0.96	0.90	0.58
21	0.00	0.00	0.16	0.00	0.86	0.54	0.86	0.93	0.06	0.96	1.18	0.48
22	0.00	0.00	0.80	0.00	0.83	0.16	0.77	0.90	0.06	0.96	1.18	0.96
23	0.00	0.00	0.35	0.67	0.80	0.00	0.96	0.77	0.35	1.02	0.86	0.48
24	0.00	0.00	0.42	0.90	0.51	0.42	1.92	0.22	0.42	1.25	0.90	0.48
25	0.00	0.00	0.96	0.51	0.00	0.80	0.00	0.38	0.32	1.22	0.80	1.09
26	0.00	0.00	0.61	0.00	0.19	0.64	0.93	0.83	0.42	0.38	0.74	1.12
27	0.00	0.61	0.96	0.00	1.15	0.70	0.83	0.48	0.19	0.90	0.80	0.67
28	0.00	0.96	0.61	0.22	0.80	0.67	0.61	0.29	0.38	0.54	1.06	0.32
29	0.00	0.00	0.80	0.61		0.64	0.90	0.13	0.35	1.06	1.31	0.10
30	0.00	0.96	0.83	0.86		0.74	0.96	0.93	0.96	0.93	0.67	0.48
31	0.00		0.74	0.90		0.90		0.26		1.22	0.96	
Grand Total	5.55	6.80	7.42	14.75	15.71	12.32	26.05	21.98	5.34	32.35	29.38	23.33

MAMMOTH COMMUNITY WATER DISTRICT
TOTAL PUMPAGE

Well 15

MG Totals												
	2009			2010								
Days	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1	0.51	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.51	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.38	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.38	0.26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.51	0.51	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.77	0.51	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.77	0.26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.77	0.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	1.54	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.51	0.26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.13
17	0.00	0.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.13
24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.51	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.64	0.00	0.00	0.00	0.00
26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.13
29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.26
30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
31	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.00
Grand Total	8.83	2.05	0.00	0.00	0.00	0.00	0.00	1.15	0.13	0.00	0.13	0.64

MAMMOTH COMMUNITY WATER DISTRICT
TOTAL PUMPAGE

Well 16

MG Totals												
	2009			2010								
Days	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.35	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.38	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.00	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
29	0.00	0.00	0.00	0.00		0.00	0.00	0.00	0.00	0.00	0.00	0.00
30	0.00	0.00	0.00	0.00		0.00	0.00	0.00	0.03	0.00	0.00	0.00
31	0.00		0.00	0.00		0.00		0.00		0.00	0.00	
Grand Total	1.34	0.32	0.00	0.00	0.00	0.00	0.06	0.00	0.03	0.00	0.00	0.00

MAMMOTH COMMUNITY WATER DISTRICT
TOTAL PUMPAGE

Well 17

MG Totals												
	2009			2010								
Days	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1	0.29	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.45	0.51	0.64	0.00
2	0.32	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.45	0.77	0.32	0.00
3	0.19	0.00	0.00	0.00	0.00	0.06	0.00	0.00	0.45	0.58	0.00	0.00
4	0.00	0.16	0.00	0.00	0.00	0.00	0.00	0.00	0.32	0.64	0.00	0.00
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.42	0.58	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.61	0.64	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.54	0.58	0.00	0.00
8	0.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.54	0.58	0.00	0.06
9	0.61	0.32	0.00	0.00	0.00	0.00	0.00	0.00	0.48	0.64	0.00	0.00
10	0.77	0.74	0.00	0.00	0.00	0.00	0.00	0.10	0.51	0.64	0.00	0.00
11	1.76	0.61	0.00	0.00	0.00	0.00	0.00	0.13	0.32	0.64	0.00	0.00
12	0.13	0.77	0.00	0.00	0.00	0.00	0.00	0.22	0.48	0.51	0.00	0.00
13	0.38	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.48	0.64	0.00	0.00
14	0.26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.54	0.64	0.00	0.00
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.51	0.58	0.00	0.13
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.58	0.51	0.00	0.58
17	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.58	0.32	0.00	0.58
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.58	0.38	0.00	0.45
19	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.64	0.58	0.00	0.38
20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.54	0.64	0.00	0.00
21	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.58	0.58	0.00	0.00
22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.77	0.64	0.00	0.38
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.58	0.58	0.00	0.26
24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.48	0.64	0.00	0.38
25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.64	0.38	0.06	0.45
26	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.58	0.00	0.00	0.51
27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.58	0.06	0.13	0.32
28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.64	0.45	0.58	0.00
29	0.00	0.00	0.00	0.00		0.00	0.00	0.00	0.64	0.51	0.51	0.00
30	0.00	0.00	0.00	0.00		0.00	0.00	0.29	0.58	0.51	0.45	0.00
31	0.00		0.00	0.00		0.00		0.38		0.58	0.38	
Grand Total	4.93	2.66	0.00	0.03	0.03	0.06	0.00	1.12	16.06	16.51	3.07	4.48

MAMMOTH COMMUNITY WATER DISTRICT
TOTAL PUMPAGE

Well 18

MG Totals												
	2009			2010								
Days	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1	0.18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00
17	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00
26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.00	0.00
28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.15
29	0.00	0.00	0.00	0.00		0.00	0.00	0.00	0.00	0.00	0.00	0.06
30	0.00	0.00	0.00	0.00		0.00	0.00	0.00	0.00	0.00	0.00	0.00
31	0.00		0.00	0.00		0.00		0.00		0.00	0.00	
Grand Total	0.72	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.07	0.01	0.22

MAMMOTH COMMUNITY WATER DISTRICT
TOTAL PUMPAGE

Well 20

MG Totals												
	2009			2010								
Days	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00
3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.03	0.00	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
30	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.00
31	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Grand Total	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.01	0.11	0.04	0.00	0.00

**PRODUCTION WELL
WATER LEVEL DATA
OCTOBER 2009 - SEPTEMBER 2010**

Well No. 1			
Date	Static	Date	Pumping
10/28/09	207.23	10/13/09	289.11
11/28/09	199.80	11/02/09	269.88
12/21/09	195.98	12/21/09	262.45
01/31/10	193.33	01/18/10	223.22
02/27/10	188.75	02/26/10	205.89
03/31/10	187.42	03/19/10	253.88
04/01/10	187.42	04/11/10	257.31
05/31/10	177.52	06/09/10	209.13
06/29/10	172.95	07/29/10	213.33
07/02/10	172.77	08/07/10	217.70
08/05/10	175.81	09/07/10	210.28
09/21/10	178.09		
Mean	186.42		237.47
MIn	172.77		205.89
Max	207.23		289.11
Historical			
Mean	197.80		255.03
Min	149.75		191.33
Max	268.10		303.16

Well No. 6			
Date	Static	Date	Pumping
10/27/09	30.69	10/30/09	126.50
11/27/09	30.48	11/04/09	140.20
12/20/09	27.59	12/22/09	118.59
01/06/10	37.05	01/31/10	135.56
02/12/10	40.52	02/20/10	134.98
03/24/10	45.72	03/31/10	135.38
04/02/10	50.92	04/19/10	150.61
05/31/10	52.66	05/02/10	150.42
06/21/10	21.81	06/25/10	126.31
07/01/10	33.19	07/24/10	134.41
08/06/10	42.64	08/30/10	152.73
09/30/10	57.28	09/07/10	157.36
Mean	39.21		138.59
Min	21.81		118.59
Max	57.28		157.36
Historical			
Mean	47.39		151.19
Min	0.00		9.05
Max	160.00		200.02

Well No. 17			
Date	Static	Date	Pumping
10/08/09	376.83	10/12/09	389.09
11/04/09	377.38	11/11/09	387.36
12/08/09	377.73	5/13/10	386.38
01/13/10	378.76	6/28/10	389.84
02/22/10	378.70	7/24/10	389.72
03/03/10	378.97	8/29/10	390.28
04/14/10	379.34	9/26/10	390.89
05/10/10	378.19		
06/03/10	378.88		
07/03/10	380.14		
08/25/10	381.22		
09/14/10	381.30		
Mean	378.95		389.08
MIn	376.83		386.38
Max	381.30		390.89
Historical			
Mean	376.17		383.26
MIn	356.44		369.52
Max	409.90		393.47

Well No. 18			
Date	Static	Date	Pumping
10/28/09	97.52		
11/17/09	96.14		
12/22/09	94.45		
01/24/10	95.30		
02/02/10	95.30		
03/25/10	94.21		
04/29/10	93.08		
05/11/10	92.80		
Mean	94.85		
Min	92.80		
Max	97.52		
Historical			
Mean	74.41		229.99
Min	40.00		72.22
Max	171.67		361.28

**PRODUCTION WELL
WATER LEVEL DATA
OCTOBER 2009 - SEPTEMBER 2010**

Well No. 10			
Date	Static	Date	Pumping
10/27/09	55.89	10/02/09	188.25
11/29/09	17.55	11/07/09	172.45
12/17/09	48.95	12/26/09	161.66
01/06/10	62.44	01/18/10	168.98
02/12/10	65.33	02/23/10	175.72
03/24/10	70.92	03/31/10	168.41
04/02/10	76.31	04/30/10	190.75
05/31/10	81.52	05/31/10	191.72
06/22/10	44.95	06/16/10	145.03
07/08/10	58.25	07/25/10	164.11
08/06/10	65.78	08/31/10	183.02
09/29/10	81.39	09/06/10	187.25
Mean	60.77		174.78
Min	17.55		145.03
Max	81.52		191.72
Historical			
Mean	56.94		133.06
Min	0.00		40.92
Max	164.00		234.25


Well No. 15			
Date	Static	Date	Pumping
10/31/09	300.06	10/11/09	324.88
11/29/09	291.22	11/06/09	313.14
12/27/09	282.94	04/15/10	275.06
01/29/10	275.06	05/25/10	271.59
02/26/10	268.33	06/14/10	267.56
03/31/10	262.36	08/31/10	255.44
04/28/10	259.28	09/08/10	254.09
05/31/10	255.64		
06/29/10	250.63		
07/30/10	246.02		
08/30/10	241.98		
09/21/10	239.09		
Mean	264.38		280.25
Min	239.09		254.09
Max	300.06		324.88
Historical			
Mean	233.11		274.69
Min	168.15		183.42
Max	321.35		364.98

Well No. 20			
Date	Static	Date	Pumping
10/20/09	411.02		
11/16/10	410.62		
12/15/09	413.74		
01/19/09	415.25		
02/11/10	413.54		
03/09/10	410.92		
04/20/10	409.12		
05/10/10	409.54		
06/23/10	410.26		
07/14/10	408.21		
08/17/10	409.22		
09/24/10	408.35		
Mean	410.82		
Min	408.21		
Max	415.25		
Historical			
Mean	412.40		491.40
Min	376.20		417.80
Max	470.95		553.44


Well No. 16			
Date	Static	Date	Pumping
04/28/10	479.94		
05/31/10	474.84		
06/01/10	474.66		
07/31/10	474.00		
08/19/10	473.31		
09/30/10	472.94		
10/04/10	472.47		
11/27/10	472.75		
Mean	474.36		
Min	472.47		
Max	479.94		
Historical			
Mean	468.53		487.61
Min	327.00		471.47
Max	514.60		507.22

APPENDIX B


PUMPAGE AND WATER-LEVEL HYDROGRAPHS
FOR EARLIER SUPPLY WELLS



WATER-LEVEL AND PUMPAGE HYDROGRAPH FOR WELL NO. 1



WATER-LEVEL AND PUMPAGE HYDROGRAPH FOR WELL NO. 6



WATER-LEVEL AND PUMPAGE HYDROGRAPH FOR WELL NO. 10

APPENDIX C

WATER-LEVEL MEASUREMENTS
FOR MONITOR WELLS


MAMMOTH COMMUNITY WATER DISTRICT
 MONITOR WELL LEVEL DATA
 OCT 09 - SEP 10

Date	Well 4M	Well 5A	Well 7	Well 10M	Well 11	Well 11M	Well 12M	Well 19	Well 21	Well 22	Well 27	Well 29
10/06/09	35.01	4.68	270.23	29.36	Artesian .25'	20.64	18.56	342.18	231.89	85.50	50.05	95.45
10/13/09	35.12	4.75	270.12	29.50	Artesian	21.25	18.95	342.78	231.50	85.50	49.78	94.77
10/27/09	35.23	5.05	269.84	29.50	Artesian	22.05	19.84	343.09	231.11	85.50	49.68	95.43
11/23/09	35.42	5.15	269.03	29.50	Artesian	23.50	22.80	343.30	230.72	85.50	49.59	96.55
12/10/09	36.15	5.25	269.59	29.50	Artesian	22.23	22.80	342.98	230.91	85.50	50.22	96.42
01/19/10	36.84	5.18	269.82	29.50	Artesian	23.07	22.80	343.15	231.10	85.50	48.88	97.21
02/09/10	36.45	5.23	269.71	29.50	Artesian	23.41	22.80	343.25	231.29	85.50	49.68	97.56
03/16/10	34.17	5.06	269.86	29.50	Artesian	22.12	22.80	342.96	231.48	85.50	49.26	98.56
04/13/10	33.56	4.78	269.66	29.50	Artesian	21.89	21.58	342.74	231.67	85.50	48.48	98.13
05/18/10	30.15	3.11	269.54	29.14	Artesian	19.45	19.25	342.81	231.86	85.50	44.65	97.83
05/27/10	28.95	2.35	270.86	29.46	Artesian	10.84	10.41	342.86	232.05	85.50	31.90	98.00
06/10/10	28.39	2.40	270.21	29.50	Artesian	6.06	5.62	342.39	231.70	85.50	35.13	97.51
06/17/10	27.65	2.51	266.34	29.12	Artesian	6.78	5.85	342.15	230.45	84.15	36.48	96.52
06/23/10	27.98	2.45	264.25	29.25	Artesian	8.19	7.45	341.26	228.32	80.26	36.15	96.47
07/07/10	29.41	3.01	263.87	29.36	Artesian	11.89	10.62	341.32	229.05	81.91	36.22	97.26
07/15/10	29.56	3.58	261.25	29.41	Artesian	13.46	11.25	341.25	229.76	82.18	37.78	95.22
07/21/10	29.87	4.24	259.96	29.48	Artesian	14.78	12.09	341.56	229.98	83.63	38.54	94.61
08/12/10	30.09	4.45	259.50	29.45	Artesian	15.24	12.61	341.79	229.63	84.07	39.63	93.01
08/20/10	30.55	4.64	258.63	29.50	Artesian	15.56	13.00	341.75	229.50	85.50	44.30	92.75
09/02/10	31.15	4.95	261.58	29.50	Artesian	15.88	13.22	341.68	229.60	85.50	43.45	92.77
09/08/10	32.46	4.78	263.42	29.50	Artesian	16.09	14.63	342.18	230.11	84.21	44.52	93.06
09/23/10	32.56	4.53	261.91	29.50	Artesian	16.20	15.33	341.77	230.34	84.11	45.23	92.92
Minimum	27.65	2.35	258.63	29.12	0.00	6.06	5.62	341.25	228.32	80.26	31.90	92.75
Maximum	36.84	5.25	270.86	29.50	0.00	23.50	22.80	343.30	232.05	85.50	50.22	98.56
Average*	29.95	3.89	256.84	24.39	9.42	19.80	16.65	339.00	258.40	81.30	45.32	81.86
Minimum*	14.23	0.00	233.68	9.69	0.00	4.14	4.25	312.33	225.95	70.79	31.90	62.95
Maximum*	46.95	7.48	290.95	32.48	50.50	39.17	27.00	357.25	365.42	86.22	59.62	98.56

* long term mean, maximum, and minimum

APPENDIX D

SUPPLEMENTARY WATER-LEVEL
HYDROGRAPHS FOR MONITOR WELLS




WATER-LEVEL HYDROGRAPH FOR WELL NO. 4M




WATER-LEVEL HYDROGRAPH FOR WELL NO. 5, NO. 5A, AND NO. 5M

ALL YEAR




WATER LEVEL HYDROGRAPH FOR MW-5M

OCTOBER 2009




WATER LEVEL HYDROGRAPH FOR MW-5M

NOVEMBER 2009




WATER LEVEL HYDROGRAPH FOR MW-5M

DECEMBER 2009




WATER LEVEL HYDROGRAPH FOR MW-5M

JANUARY 2010




WATER LEVEL HYDROGRAPH FOR MW-5M

FEBRUARY 2010




WATER LEVEL HYDROGRAPH FOR MW-5M

MARCH 2010




WATER LEVEL HYDROGRAPH FOR MW-5M

APRIL 2010




WATER LEVEL HYDROGRAPH FOR MW-5M

MAY 2010




WATER LEVEL HYDROGRAPH FOR MW-5M

JUNE 2010




WATER LEVEL HYDROGRAPH FOR MW-5M

JULY 2010




WATER LEVEL HYDROGRAPH FOR MW-5M

AUGUST 2010




WATER LEVEL HYDROGRAPH FOR MW-5M


SEPTEMBER 2010



WATER LEVEL HYDROGRAPH FOR MW-5M




WATER-LEVEL HYDROGRAPH FOR WELL NO. 7



WATER-LEVEL HYDROGRAPH FOR WELL NO. 10M



WATER-LEVEL HYDROGRAPH FOR WELL NO. 11M




WATER-LEVEL HYDROGRAPH FOR WELL NO. 11




WATER-LEVEL HYDROGRAPH FOR WELL NO. 12M

ALL YEAR




WATER LEVEL HYDROGRAPH FOR MW-14M

OCTOBER 2009




WATER LEVEL HYDROGRAPH FOR MW-14M

NOVEMBER 2009




WATER LEVEL HYDROGRAPH FOR MW-14M

MANUAL READ PERIOD
12/10/2009 - 8/10/2010




WATER LEVEL HYDROGRAPH FOR MW-14M

AUGUST 2010




WATER LEVEL HYDROGRAPH FOR MW-14M

SEPTEMBER 2010




WATER LEVEL HYDROGRAPH FOR MW-14M

ALL YEAR




WATER LEVEL HYDROGRAPH FOR MW-23M

OCTOBER 2009




WATER LEVEL HYDROGRAPH FOR MW-23M

NOVEMBER 2009




WATER LEVEL HYDROGRAPH FOR MW-23M

DECEMBER 2009




WATER LEVEL HYDROGRAPH FOR MW-23M

JANUARY 2010




WATER LEVEL HYDROGRAPH FOR MW-23M

FEBRUARY 2010




WATER LEVEL HYDROGRAPH FOR MW-23M

MARCH 2010




WATER LEVEL HYDROGRAPH FOR MW-23M

APRIL 2010




WATER LEVEL HYDROGRAPH FOR MW-23M

MAY 2010




WATER LEVEL HYDROGRAPH FOR MW-23M

JUNE 2010




WATER LEVEL HYDROGRAPH FOR MW-23M

JULY 2010




WATER LEVEL HYDROGRAPH FOR MW-23M

AUGUST 2010




WATER LEVEL HYDROGRAPH FOR MW-23M

SEPTEMBER 2010




WATER LEVEL HYDROGRAPH FOR MW-23M

ALL YEAR




WATER LEVEL HYDROGRAPH FOR MW-24M

OCTOBER 09




WATER LEVEL HYDROGRAPH FOR MW-24M

NOVEMBER 09




WATER LEVEL HYDROGRAPH FOR MW-24M

DECEMBER 09




WATER LEVEL HYDROGRAPH FOR MW-24M

JANUARY 10




WATER LEVEL HYDROGRAPH FOR MW-24M

FEBRUARY 10




WATER LEVEL HYDROGRAPH FOR MW-24M

MARCH 10




WATER LEVEL HYDROGRAPH FOR MW-24M

APRIL 10




WATER LEVEL HYDROGRAPH FOR MW-24M

MAY 10




WATER LEVEL HYDROGRAPH FOR MW-24M

JUNE 10




WATER LEVEL HYDROGRAPH FOR MW-24M

JULY 10




WATER LEVEL HYDROGRAPH FOR MW-24M

AUGUST 10




WATER LEVEL HYDROGRAPH FOR MW-24M


SEPTEMBER 10



WATER LEVEL HYDROGRAPH FOR MW-24M




WATER-LEVEL HYDROGRAPH FOR WELL NO. 25




WATER-LEVEL HYDROGRAPH FOR WELL NO. 26

ALL YEAR




WATER LEVEL HYDROGRAPH FOR MW-26M

OCTOBER 2009




WATER LEVEL HYDROGRAPH FOR MW-26M

NOVEMBER 2009




WATER LEVEL HYDROGRAPH FOR MW-26M

DECEMBER 2009




WATER LEVEL HYDROGRAPH FOR MW-26M

JANUARY 2010




WATER LEVEL HYDROGRAPH FOR MW-26M

MANUAL READ PERIOD
02/09/10 - 08/10/10




WATER LEVEL HYDROGRAPH FOR MW-26M

AUGUST 2010



WATER LEVEL HYDROGRAPH FOR MW-26M


SEPTEMBER 2010



WATER LEVEL HYDROGRAPH FOR MW-26M




WATER-LEVEL HYDROGRAPH FOR WELL NO. 27




WATER-LEVEL HYDROGRAPH FOR WELL NO. 28

ALL YEAR




WATER LEVEL HYDROGRAPH FOR MW-28M

OCTOBER 2009




WATER LEVEL HYDROGRAPH FOR MW-28M

NOVEMBER 2009




WATER LEVEL HYDROGRAPH FOR MW-28M

DECEMBER 2009




WATER LEVEL HYDROGRAPH FOR MW-28M

JANUARY 2010




WATER LEVEL HYDROGRAPH FOR MW-28M

FEBRUARY 2010




WATER LEVEL HYDROGRAPH FOR MW-28M

MARCH 2010




WATER LEVEL HYDROGRAPH FOR MW-28M

APRIL 2010




WATER LEVEL HYDROGRAPH FOR MW-28M

MAY 2010




WATER LEVEL HYDROGRAPH FOR MW-28M

JUNE 2010




WATER LEVEL HYDROGRAPH FOR MW-28M

JULY 2010




WATER LEVEL HYDROGRAPH FOR MW-28M

AUGUST 2010



WATER LEVEL HYDROGRAPH FOR MW-28M


SEPTEMBER 2010



WATER LEVEL HYDROGRAPH FOR MW-28M




WATER-LEVEL HYDROGRAPH FOR WELL NO. 29




WATER-LEVEL HYDROGRAPH FOR WELL NO. 30

ALL YEAR




WATER LEVEL HYDROGRAPH FOR SC-1

JANUARY 2010




WATER LEVEL HYDROGRAPH FOR SC-1

FEBRUARY 2010




WATER LEVEL HYDROGRAPH FOR SC-1

MARCH 2010




WATER LEVEL HYDROGRAPH FOR SC-1

APRIL 2010




WATER LEVEL HYDROGRAPH FOR SC-1

MAY 2010




WATER LEVEL HYDROGRAPH FOR SC-1

JUNE 2010




WATER LEVEL HYDROGRAPH FOR SC-1

JULY 2010




WATER LEVEL HYDROGRAPH FOR SC-1

AUGUST 2010




WATER LEVEL HYDROGRAPH FOR SC-1

SEPTEMBER 2010




WATER LEVEL HYDROGRAPH FOR SC-1

ALL YEAR




WATER LEVEL HYDROGRAPH FOR SC-2

MARCH 2010




WATER LEVEL HYDROGRAPH FOR SC-2

APRIL 2010




WATER LEVEL HYDROGRAPH FOR SC-2

MAY 2010




WATER LEVEL HYDROGRAPH FOR SC-2

JUNE 2010




WATER LEVEL HYDROGRAPH FOR SC-2

JULY 2010




WATER LEVEL HYDROGRAPH FOR SC-2

AUGUST 2010



WATER LEVEL HYDROGRAPH FOR SC-2

SEPTEMBER 2010



WATER LEVEL HYDROGRAPH FOR SC-2

APPENDIX E

CHEMICAL ANALYSES OF WATER FROM DISTRICT WELLS

PRODUCTION WELL
WATER QUALITY

Production Well Site	Sample Date	Sample Time	Specific Conductance umho/cm	Conductivity umho/cm	TDS mg/L	Temp C	pH	Dissolved Oxygen mg/L
1	06/06/96	8:20		240.0	168	8.3	7.40	
1	09/12/97	10:15		190.0	96	9.4	7.20	
1	07/06/98	14:30		210.0	120	8.3	7.40	
1	07/14/99	9:20		208.0	165	8.9	7.60	
1	08/22/00	7:45		210.0	156	9.4	7.20	
1	07/27/01	8:30		220.0	140	9.4	6.50	
1	09/05/02	7:50		232.0	116	8.9	6.60	
1	09/25/03	9:15		277.0	182	5.6	7.10	
1	07/20/04	10:30		210.0	160	7.2	7.50	
1	10/11/05	12:45		207.0	135	9.4	7.05	2.43
1	11/06/06	13:04	207.0		120	10.0	7.22	1.49
1	12/04/06	12:45	202.0	139.0	117	9.2	7.03	1.50
1	01/09/07		201.6	138.5	117	8.3	6.62	1.60
1	02/06/07	9:25	250.1	192.0	145	8.3	6.95	1.66
1	03/07/07	10:45	198.0	134.9	115	8.4	6.96	0.97
1	04/16/07	13:04	192.2	133.0	111	8.3	6.98	0.64
1	05/01/07	10:45	210.2	149.1	122	9.2	7.86	0.69
1	06/07/07	9:40	206.2	150.5	120	9.2	7.26	0.62
1	07/10/07	10:05	213.3	164.3	124	11.6	6.97	0.86
1	08/07/07	11:12	234.0		136	8.6	7.00	3.18
1	09/11/07	10:19	240.7	165.5	140	8.6	6.88	3.56
1	10/02/07	11:00	238.6	163.6	138	8.5	7.04	4.00
1	11/19/07	13:52	224.0	152.4	146	8.3	7.08	5.26
1	12/11/07	15:25	218.6	148.3	142	8.2	6.91	3.94
1	01/09/08	11:19	227.4	154.3	148	8.2	6.85	5.03
1	02/05/08	9:48	231.0	157.6	150	8.4	6.95	6.43
1	03/13/08	9:51	234.8	160.7	153	8.5	6.89	3.74
1	04/01/08	8:41	224.4	153.2	146	8.4	6.76	3.26
1	05/09/08	10:42	210.2	142.6	137	8.2	6.69	3.88
1	06/18/08	13:02	211.4	143.3	137	8.1	6.94	3.56
1	07/30/08	11:10	215.1	146.2	140	8.2	6.81	3.25
1	08/19/08	10:54	233.0	159.1	151	8.4	6.85	3.23
1	09/11/08	11:07	236.5	161.9	154	8.5	7.03	4.36
1	10/21/08	14:06	233.1	159.9	152	8.6	6.86	4.51
1	11/13/08	9:39	217.7	148.5	142	8.4	6.34	5.59
1	12/02/08	12:18	221.2	151.0	144	8.4	6.63	5.25
1	01/12/09	14:18	229.6	156.2	149	8.3	6.63	4.18
1	02/24/09	11:13	209.7	142.7	136	8.3	6.47	3.50
1	03/25/09	11:48	217.8	148.7	142	8.4	6.69	3.29
1	04/21/09	8:23	212.4	144.5	138	8.3	6.74	8.10
1	05/27/09	14:41	214.2	145.3	139	8.2	6.73	3.26
1	06/24/09	13:39	209.3	142.0	136	8.2	6.89	8.39
1	07/09/09	10:46	206.8	140.2	134	8.2	6.79	8.58
1	08/12/09	11:35	212.9	144.2	138	8.1	6.77	8.28
1	09/22/09	12:55	215.3	146.7	140	8.3	6.90	9.63
1	10/21/09	15:17	205.5	139.9	134	8.3	6.83	3.81
1	11/17/09	14:30	204.3	138.7	133	8.2	6.94	8.32
1	12/22/09	13:35	205.6	138.8	134	8.0	6.84	12.81
1	01/29/10	13:22	200.6	135.9	130	8.1	6.80	9.43
1	02/26/10	11:24	201.6	136.6	131	8.1	6.79	8.98
1	03/16/10	10:32	198.2	134.1	129	8.1	6.67	9.59
1	04/15/10	13:28	207.7	141.6	135	8.3	7.05	9.02
1	05/12/10	12:51	216.0	148.7	140	8.7	6.89	9.82

PRODUCTION WELL
WATER QUALITY

Production Well Site	Sample Date	Sample Time	Specific Conductance umho/cm	Conductivity umho/cm	TDS mg/L	Temp C	pH	Dissolved Oxygen mg/L
6	06/06/96	9:05		470.0	283	9.4	7.50	
6	09/12/97	9:25		397.0	198	11.7	7.10	
6	07/07/98	8:20		300.0	160	10.6	8.20	
6	07/14/99	8:45		305.0	172	10.0	7.60	
6	07/28/00	8:15		310.0	166	10.0	7.40	
6	07/26/01	10:00		380.0	230	10.6	7.40	
6	09/05/02	14:30		350.0	190	10.6	7.20	
6	09/25/03	11:00		427.0	287	6.7	7.40	
6	07/20/04	9:45		420.0	290	10.0	7.60	
6	10/11/05	14:20		437.0	284	10.6	7.38	3.07
6	11/06/06	11:07	433.0		251	10.0	7.40	1.54
6	12/04/06	11:17	448.0	318.0	260	9.8	7.40	1.27
6	01/09/07		429.1	301.7	249	9.3	7.26	0.79
6	02/06/07	1:53	434.1	303.2	252	9.4	7.22	1.00
6	03/06/07	13:35	207.3	147.0	120	9.7	7.35	1.15
6	04/16/07	9:40	406.9	285.1	236	9.5	7.30	0.72
6	05/01/07	9:00	396.1	287.4	230	10.4	6.81	0.59
6	06/07/07	1:50	420.1	304.1	244	10.1	7.49	0.58
6	07/10/07	14:55	423.8	321.3	246	11.4	7.04	1.10
6	08/07/07	11:12	392.4		228	9.0	7.24	0.68
6	09/11/07	9:55	417.3	288.1	242	8.8	7.29	1.21
6	10/02/07	14:57	410.4	284	238	8.9	7.38	0.92
6	11/19/07	10:54	406.6	278.2	264	8.5	7.36	0.34
6	12/11/07	14:27	407.5	279.8	265	8.6	7.20	0.50
6	06/18/08	10:52	410.4	282.1	267	8.6	7.21	1.62
6	07/30/08	10:08	400.0	279.9	260	9.3	7.05	0.74
6	08/19/08	9:21	397.7	275.9	259	9.0	7.01	1.04
6	09/11/08	10:46	402.4	277.5	262	8.8	7.34	1.00
6	10/21/08	10:43	387.1	263.6	252	8.3	6.89	0.74
6	11/13/08	11:45	433.9	295.4	282	8.3	6.65	2.75
6	12/02/08	11:52	445.5	303.3	290	8.3	6.67	1.39
6	01/12/09	12:24	421.0		274	8.6	7.05	7.11
6	02/24/09	12:30	415.7	285.4	270	8.6	6.69	0.70
6	03/25/09	11:02	412.2	282.7	268	8.6	6.69	0.73
6	04/21/09	9:59	536.1	367.7	349	8.6	7.08	1.58
6	05/27/09	14:08	452.0	311.1	294	8.7	6.90	1.08
6	06/24/09	10:35	426.9	295.5	278	8.9	7.15	5.26
6	07/09/09	10:22	430.5	298.4	280	8.9	7.05	5.67
6	08/12/09	11:14	413.1	286.7	269	9.0	7.05	5.59
6	09/22/09	11:38	460.8	320.5	300	9.1	6.97	7.47
6	10/21/09	13:52	422.7	292.3	275	8.9	7.14	7.03
6	11/17/09	13:03	422.3	290.6	275	8.7	7.16	6.18
6	12/23/09	14:22	424.8	292.7	276	8.7	6.96	7.04
6	01/29/10	10:40	420.2	289.2	273	8.7	6.93	6.67
6	02/26/10	12:45	421.6	289.7	274	8.6	7.04	7.27
6	03/16/10	12:10	411.0	282.5	267	8.6	6.90	7.34
6	04/15/10	9:24	405.9	278.7	264	8.6	7.10	7.45
6	05/12/10	15:00	430.1	294.0	280	8.4	6.94	7.65

PRODUCTION WELL
WATER QUALITY

Production Well Site	Sample Date	Sample Time	Specific Conductance umho/cm	Conductivity umho/cm	TDS mg/L	Temp C	pH	Dissolved Oxygen mg/L
10	06/06/96	9:20		465.0	315	10.0	7.30	
10	09/12/97	9:14		359.0	179	12.8	7.20	
10	06/30/98	13:25		350.0	240	9.4	7.60	
10	07/14/99	8:30		353.0	231	9.4	7.50	
10	07/28/00	8:30		360.0	228	10.0	7.50	
10	07/26/01	10:15		470.0	300	10.6	6.60	
10	09/05/02	8:10		410.0	225	10.6	7.00	
10	09/25/03							
10	07/20/04	10:04		430.0	280	10.0	7.50	
10	10/11/05	15:20		389.0	253	13.9	7.14	2.51
10	11/06/06	9:00	270.0		157	13.3	7.06	
10	12/04/06	10:37	270.0	205.3	157	13.2	7.17	1.60
10	01/09/07		539.0	466.0	313	11.7	7.23	1.70
10	02/06/07	1:15	267.9	208.0	155	13.9	7.81	1.47
10	03/06/07	14:20	303.9	227.6	176	11.9	6.96	1.00
10	04/17/07	9:45	272.4	205.1	158	11.6	7.18	0.72
10	05/01/07	9:24	258.8	205.6	150	13.5	6.97	0.58
10	06/07/07	1:15	319.2	249.8	185	13.2	7.26	0.66
10	07/10/07	14:29	354.1	280.4	205	13.6	6.55	0.77
10	08/07/07	13:26	351.2		204	13.0	7.04	2.23
10	09/11/07	9:20	370	282.7	215	12.7	7.00	0.99
10	10/02/07	13:54	376.2	286.5	218	12.5	7.02	0.69
10	11/19/07	10:05	361.5	283.8	235	13.8	7.02	0.99
10	12/11/07	13:53	332.6	256.2	216	13.0	7.04	1.07
10	01/10/08	10:59	385.0	292.0	250	12.4	6.86	1.01
10	02/05/08	14:11	385.8	291.4	251	12.2	6.83	0.68
10	03/14/08	9:48	388.9	291.8	253	11.9	6.79	1.83
10	04/01/08	9:13	398.9	298.1	259	11.8	6.84	0.91
10	05/09/08	9:51	399.6	299.4	260	11.9	6.57	0.68
10	07/30/08	9:36	411.5	321.1	268	13.5	6.84	1.43
10	08/19/08	10:32	411.1	315.7	267	12.9	6.76	0.94
10	09/11/08	10:21	420.8	322.5	274	12.8	6.93	0.96
10	10/21/08	11:04	414.7	316.9	270	12.7	6.63	1.10
10	11/13/08	11:17	409.4	317.9	266	13.3	6.55	1.82
10	12/02/08	11:22	423.2	329.0	275	13.4	6.58	1.48
10	03/25/09	13:14	422.6	330.0	275	13.5	6.50	1.19
10	04/21/09	9:33	423.7	324.6	275	12.8	6.94	1.33
10	05/27/09	12:29	414.2	317.0	269	12.7	6.83	4.64
10	06/24/09	9:49	414.9	314.0	270	12.3	6.88	5.33
10	07/09/09	9:33	417.8	314.2	272	12.0	6.81	5.30
10	08/12/09	9:42	414.2	309.7	269	11.8	6.49	5.41
10	09/22/09	14:21	421.4	312.8	274	11.5	6.92	6.25
10	10/21/09	11:36	356.9	275.6	232	13.1	6.80	5.75
10	11/17/09	11:44	388.8	298.4	253	12.8	6.70	4.76
10	12/23/09	10:41	414.6	316.1	270	12.6	6.81	5.87
10	01/29/10	10:03	416.0	315.5	270	12.3	6.80	5.65
10	02/26/10	10:57	407.6	309.8	265	12.4	6.80	5.75
10	03/16/10	12:40	407.5	309.2	265	12.4	6.89	6.21
10	04/15/10	9:52	401.8	304.0	261	12.3	7.01	6.26
10	05/12/10	9:51	411.3	311.4	267	12.3	6.78	5.28

PRODUCTION WELL
WATER QUALITY

Production Well Site	Sample Date	Sample Time	Specific Conductance umho/cm	Conductivity umho/cm	TDS mg/L	Temp C	pH	Dissolved Oxygen mg/L
15	06/06/96	9:45		240.0	152	12.8	7.40	
15	09/12/97	9:19		288.0	144	12.8	7.20	
15	06/30/98	13:45		360.0	210	11.7	7.50	
15	07/14/99	9:05		355.0	190	12.8	7.60	
15	08/22/00	8:10		350.0	187	12.2	7.30	
15	07/02/01	10:40		330.0	220	12.8	7.40	
15	09/05/02	8:20		290.0	185	11.7	7.20	
15	09/25/03	10:00		415.0	279	10.0	7.20	
15	07/20/04	9:15		300.0	200	10.0	7.60	
15	10/11/05	13:20		234.0	152	18.3	7.34	2.51
15	11/06/06	10:04	270.0		157	10.6	7.42	1.17
15	12/04/06	9:30	223.0		129	8.9	7.39	1.20
15	01/09/07		222.4	154.4	129	9.4	7.38	1.42
15	02/06/07	9:57	216.8	149.4	126	8.3	7.71	0.94
15	03/06/07	10:30	214.7	150.2	125	9.2	7.17	1.07
15	04/17/07	8:38	219.7	156.2	127	8.7	7.31	0.55
15	05/01/07	10:15	219.6	157.4	127	9.6	7.69	0.72
15	06/07/07	9:20	300.6	226.0	174	11.8	7.69	0.74
15	07/10/07	10:55	331.1	259.8	192	13.5	7.22	1.10
15	08/07/07	13:43	338.6		196	12.7	7.20	2.04
15	09/11/07	8:40	364.2	280.9	211	13.0	7.25	1.46
15	10/02/07	14:24	365.2	280.6	212	12.9	7.29	2.66
15	11/19/07	10:28	327.8	244.4	213	11.7	7.35	1.01
15	12/11/07	14:57	330.2	246.1	215	11.7	7.33	1.03
15	01/09/08	15:30	336.4	252.5	219	12.0	7.13	0.96
15	02/05/08	11:16	343.2	259.0	223	12.2	7.26	1.11
15	03/14/08	10:03	356.9	272.6	232	12.6	7.18	0.82
15	04/01/08	9:32	364.8	279.4	237	12.8	7.33	1.04
15	05/09/08	9:35	332.0	249.4	216	12.0	6.77	0.99
15	06/18/08	9:30	351.6	268.8	229	12.7	7.10	0.86
15	07/30/08	8:56	354.7	271.5	231	12.7	6.99	0.97
15	08/19/08	9:54	357.2	275.3	232	13.0	7.07	2.01
15	09/11/08	10:03	378.1	294.1	246	13.4	7.09	0.98
15	10/21/08	10:09	356.9	274.8	232	13.0	6.83	1.26
15	11/13/08	10:42	244.8	171.1	159	9.2	6.67	1.34
15	12/02/08	10:45	238.8	164.7	155	8.8	6.80	1.37
15	01/12/09	11:50	347.0	247.9	226	12.1	6.94	5.98
15	02/24/09	10:35	310.5	229.1	202	11.3	6.79	0.95
15	03/25/09	11:31	345.8	261.8	225	12.3	6.96	1.22
15	04/21/09	8:49	308.2	226.7	200	11.2	7.26	5.15
15	05/27/09	12:43	237.7	164.0	155	8.8	7.14	5.89
15	06/24/09	10:00	237.9	164.3	155	8.8	7.14	5.68
15	07/09/09	9:11	266.3	189.3	173	9.9	7.08	5.46
15	08/12/09	10:35	298.3	219.2	194	11.1	7.16	5.20
15	09/22/09	13:33	363.5	278.2	236	12.7	7.30	6.53
15	10/21/09	10:57	245.0	170.9	159	9.2	6.94	6.91
15	11/17/09	13:35	234.1	160.9	152	8.6	7.14	6.52
15	12/22/09	11:00	236.5	162.5	154	8.6	6.89	7.06
15	01/29/10	9:32	243.6	167.8	158	8.7	7.05	6.45
15	02/26/10	10:30	245.7	169.5	160	8.8	7.19	8.24
15	03/16/10	10:11	244.6	169.2	159	8.9	6.90	8.01
15	04/15/10	10:27	242.9	168.1	158	8.9	7.24	7.23
15	05/12/10	10:53	250.3	173.7	163	9.0	7.91	6.71

**PRODUCTION WELL
WATER QUALITY**

Production Well Site	Sample Date	Sample Time	Specific Conductance umho/cm	Conductivity umho/cm	TDS mg/L	Temp C	pH	Dissolved Oxygen mg/L
16	07/11/96	9:00		660.0	432	21.1	7.50	
16	09/11/97	10:11		632.0	317	22.8	7.10	
16	07/06/98	14:35		710.0	500	21.1	7.10	
16	08/20/99	10:30		690.0	480	21.1	7.20	
16	08/22/00	8:25		695.0	485	23.3	7.30	
16	07/02/01	9:30		710.0	490	21.1	6.90	
16	09/09/02	8:00		705.0	480	21.1	6.70	
16	09/25/03							
16	08/03/04			550.0	360	21.7	7.20	
16	10/11/05	11:00		518.0	337	18.9	6.58	
16	11/06/06							
16	12/04/06	2:03	549.0	473.0	318	18.1	6.59	1.04
16	02/06/07	10:55	569.0	501.0	330	19.4	6.53	0.97
16	03/07/07	9:00	553.0	480.0	321	18.5	6.55	0.81
16	04/16/07	13:26	560.0	492.0	325	18.9	6.39	0.70
16	07/10/07	9:45	658.0	669.0	382	25.2	6.71	0.77
16	08/09/07	10:33	689.0		400	25.6	6.65	1.25
16	09/11/07	10:31	707.5	721.7	410	26.1	6.70	0.28
16	10/02/07	10:18	711.3	727.1	413	26.2	6.69	0.22
16	01/09/08	12:35	525.3	464.6	341	19.0	6.41	0.46
16	02/05/08	9:28	520.6	459	338	18.8	6.43	0.47
16	03/13/08	8:54	536.1	476.8	349	19.2	6.36	0.40
16	04/01/08	10:14	532.4	470.3	346	18.9	6.38	0.23
16	05/09/08	12:21	524.3	463.3	341	18.9	6.32	0.26
16	06/18/08	13:16	566.5	515.4	368	20.3	6.36	0.53
16	07/30/08	10:54	531.1	469.2	345	18.9	6.23	0.35
16	08/19/08	11:05	670.4	662.7	436	24.4	6.36	0.42
16	09/11/08	13:18	709.5	723.5	461	26.0	6.42	0.28
16	10/21/08	14:32	508.4	447.7	331	18.8	6.10	0.44
16	11/13/08	10:02	536.2	476.5	349	19.2	6.01	0.55
16	12/02/08	13:58	530.2	470.5	345	19.1	6.17	0.45
16	01/12/09	14:43	541.9	484.5	352	19.5	6.29	0.73
16	02/24/09	14:26	529.2	466.8	344	18.8	6.06	0.50
16	03/25/09	14:51	528.6	467.5	344	19.0	5.73	0.68
16	04/21/09	10:24	523.4	461.3	340	18.8	6.38	0.67
16	05/28/09	13:23	528.2	465.6	343	18.8	6.32	1.05
16	06/24/09	13:06	534.9	473.0	348	18.9	6.30	2.86
16	07/09/09	11:10	538.2	475.7	350	18.9	6.32	2.72
16	08/12/09	12:46	527.3	465.3	343	18.9	6.29	3.08
16	09/22/09	12:41	662.7	651.1	431	24.1	6.49	2.85
16	10/21/09	15:03	523.5	461.8	340	18.8	6.18	0.84
16	04/15/10	13:06	528.1	466.9	343	18.9	6.35	3.54
16	05/12/10	14:25	528.2	466.1	343	18.8	6.34	3.83

PRODUCTION WELL
WATER QUALITY

Production Well Site	Sample Date	Sample Time	Specific Conductance umho/cm	Conductivity umho/cm	TDS mg/L	Temp C	pH	Dissolved Oxygen mg/L
17	07/11/96	8:45		360.0	265	18.3	7.30	
17	07/06/98	9:15		350.0	280	15.6	7.10	
17	08/20/99	10:10		350.0	280	16.1	7.20	
17	08/22/00	8:40		355.0	276	17.2	7.20	
17	07/02/01	9:10		410.0	310	15.6	6.70	
17	09/03/02	8:30		400.0	290	16.1	6.60	
17	09/25/03	8:55		420.0	282	16.7	6.50	
17	08/03/04			410.0	270	15.6	7.50	
17	10/11/05	12:20		484.0	315	23.9	6.78	2.01
17	11/06/06	12:30	472.0		274	23.3	7.06	0.91
17	12/04/06	2:35	478.0	452.0	277	22.8	7.05	1.91
17	01/09/07		463.1	442.1	269	22.2	6.99	0.89
17	02/06/07	8:15	453.9	430.4	263	22.8	6.81	0.67
17	03/07/07	9:30	448.6	421.8	260	23.3	6.76	0.83
17	04/16/07	14:40	414.2	384.8	240	21.6	6.64	0.77
17	05/01/07	11:05	384.4	357.3	223	21.1	6.71	0.67
17	06/07/07	10:40	444.3	425.1	258	22.9	7.29	0.61
17	07/10/07	15:10	448.7	433.4	260	23.7	6.87	0.55
17	08/09/07	9:55	496.5		288	25.6	6.74	1.66
17	09/11/07	11:02	390.0	367.2	226	21.9	6.88	0.32
17	10/02/07	11:27	510.5	517.8	337	25.8	6.58	2.09
17	11/19/07	14:13	498	497.9	324	25.0	6.80	2.05
17	12/11/07	15:48	490.9	488.2	319	24.7	6.81	3.34
17	01/09/08	13:07	474.0	469.9	308	24.5	6.71	1.91
17	02/05/08	13:11	468.4	460.7	304	24.2	6.77	2.08
17	03/13/08	9:20	460.4	451.6	299	24.0	6.68	2.12
17	03/13/08	9:20	460.4	451.6	299	24.0	6.68	2.12
17	04/01/08	10:42	461.8	449.8	300	23.6	6.65	2.01
17	05/09/08	12:41	458.6	445.3	298	23.5	6.68	1.80
17	06/18/08	13:40	488.4	488.7	318	25.0	6.66	1.70
17	07/30/08	12:43	466.1	461.3	303	24.5	6.56	1.27
17	08/19/08	13:03	509.7	522.1	331	26.3	6.55	1.39
17	09/11/08	11:23	524.8	543.9	341	26.9	6.64	1.50
17	10/21/08	15:08	497.8	506.9	324	26.0	6.52	2.06
17	11/13/08	13:44	503.0	513.5	327	26.1	6.52	1.93
17	12/02/08	15:09	487.8	493.5	317	25.6	6.55	1.85
17	01/12/09	15:15	465.8	465.0	303	24.9	6.55	1.93
17	02/24/09	14:56	459.6	454.6	299	24.4	6.52	2.37
17	03/25/09	14:26	458.0	451.2	298	24.2	6.38	1.93
17	04/21/09	10:44	449.4	441.3	292	24.1	6.76	1.66
17	05/28/09	11:22	460.3	448.7	299	23.7	6.71	2.69
17	06/24/09	13:55	450.0	436.3	293	23.4	6.71	2.54
17	07/09/09	11:50	470.5	468.4	306	24.8	6.70	1.46
17	08/12/09	13:18	443.6	432.9	288	23.7	6.67	2.33
17	09/22/09	13:17	504.2	516.4	328	26.3	6.70	2.95
17	10/21/09	14:41	511.4	526.2	332	26.5	6.70	1.59
17	11/17/09	13:58	495.6	504.2	322	25.9	6.71	2.90
17	12/23/09	15:09	472.4	473.4	307	25.1	6.73	4.25
17	01/29/10	12:54	461.3	457.0	300	24.5	6.74	3.29
17	02/26/10	13:16	461.0	454.6	300	24.3	6.74	3.49
17	03/16/10	13:22	450.3	441.6	293	24.0	6.82	4.97
17	04/15/10	12:37	426.6	415.8	277	23.7	6.78	3.72
17	05/12/10	13:04	441.7	389.7	287	18.8	6.74	5.01

**PRODUCTION WELL
WATER QUALITY**

Production Well Site	Sample Date	Sample Time	Specific Conductance umho/cm	Conductivity umho/cm	TDS mg/L	Temp C	pH	Dissolved Oxygen mg/L
18	07/11/96	8:15		540.0	332	8.3	7.10	
18	09/12/97	13:40		500.0	251	20.0	7.10	
18	07/06/98	14:15		490.0	350	21.1	6.90	
18	08/20/99	11:30		510.0	355	19.4	7.10	
18	08/22/00	8:20		505.0	346	20.0	7.10	
18	07/02/01	10:15		530.0	370	19.4	6.40	
18	09/05/02	8:45		535.0	310	18.3	6.80	
18	09/25/03	10:40		637.0	434	15.6	6.70	
18	08/03/04			560.0	370	16.7	7.30	
18	10/11/05	13:20		559.0	363	18.9	6.58	2.09
18	11/06/06	10:40	543.0		315	18.3	6.91	1.71
18	12/04/06	10:04	539.0	462.0	313	18.7	6.68	0.69
18	01/09/07		539.0	466.0	313	18.1	6.63	1.42
18	02/06/07	10:35	541.0	476.0	314	18.3	6.73	1.47
18	03/06/07	12:33	456.5	406.8	265	18.3	6.61	0.51
18	04/17/07	9:00	537.0	470.0	311	18.2	6.59	0.61
18	05/01/07	9:50	535.0	467.0	310	18.8	6.54	0.53
18	06/07/07	12:50	542.0	481.0	314	18.8	6.97	0.74
18	07/10/07	13:50	545.0	480.0	316	17.5	6.52	0.72
18	08/09/07	9:26	509.2		295	18.5	6.62	1.81
18	09/11/07	8:59	551.5	464.3	320	16.7	6.57	0.55
18	10/02/07	13:13	534	465.6	303	18.3	6.55	0.16
18	11/19/07	9:47	498.3	428.6	324	17.7	6.60	0.77
18	12/11/07	13:22	504.0	433.1	328	17.6	6.58	0.91
18	01/09/08	15:11	510.9	440.0	332	17.7	6.44	0.36
18	02/05/08	15:29	516.6	448.9	336	18.1	6.48	0.77
18	04/01/08	9:54	504.3	434.4	328	17.7	6.47	0.27
18	05/09/08	10:09	464.4	396.8	302	17.4	6.36	0.39
18	06/18/08	10:15	479.3	411.2	312	17.6	6.31	0.47
18	07/30/08	9:16	565.7	473.1	368	16.4	6.31	2.07
18	10/21/08	10:25	563.7	502.2	366	19.3	6.26	4.50
18	11/13/08	11:03	554.3	491.7	360	19.1	6.20	4.47
18	12/02/08	11:05	549.9	487.8	357	19.1	6.27	6.45
18	01/12/09	11:34	580.0	514.5	377	16.6	6.29	6.96
18	02/24/09	12:02	526.8	463.8	342	18.7	6.28	5.10
18	03/25/09	10:36	550.9	466.2	358	17.0	6.15	4.60
18	04/21/09	9:10	568.3	508.1	369	19.5	6.46	5.96
18	05/27/09	13:07	500.1	445.1	325	19.2	6.43	5.54
18	06/24/09	11:03	520.2	458.9	338	18.8	6.49	7.23
18	07/09/09	9:58	530.5	471.4	345	19.2	6.52	7.41
18	08/12/09	10:53	545.8	484.4	355	19.1	6.50	9.19
18	09/22/09	14:03	547.4	486.0	356	19.1	6.50	7.24
18	10/21/09	11:18	552.7	489.3	359	19.0	6.45	6.88
18	12/22/09	11:20	548.4	485.4	357	19.0	6.49	8.41

PRODUCTION WELL
WATER QUALITY

Production Well Site	Sample Date	Sample Time	Specific Conductance umho/cm	Conductivity umho/cm	TDS mg/L	Temp C	pH	Dissolved Oxygen mg/L
20	07/11/96	9:20		217.0	164	15.0	7.10	
20	09/11/97	9:57		336.0	168	16.1	6.90	
20	08/20/99	11:00		310.0	210	15.6	7.10	
20	08/22/00	9:00		305.0	190	16.1	7.10	
20	07/27/01	8:45		340.0	250	15.6	6.80	
20	09/05/02	9:30		400.0	195	17.2	6.60	
20	09/25/03	9:05		387.0	259	13.3	6.70	
20	08/03/04			290.0	200	15.6	7.20	
20	10/11/05	11:15		293.0	190	16.1	6.53	4.96
20	12/04/06	1:35	260.0	200.0	151	13.3	6.75	2.61
20	01/09/07		253.1	195.1	147	13.0	6.73	2.96
20	02/06/07	8:51	250.1	430.4	145	12.8	6.71	2.32
20	03/07/07	10:10	262.0	200.7	152	12.7	6.65	1.30
20	04/16/07	13:44	270.1	216.4	157	14.1	7.27	1.12
20	05/01/07	12:45	283.3	235.8	164	16.0	6.54	0.85
20	06/07/07	10:20	269.4	213.5	156	13.7	7.25	0.83
20	07/10/07	10:20	373.3		217	18.5	6.61	0.78
20	08/09/07	10:50	388.4		225	18.3	6.50	5.58
20	09/11/07	10:47	406.3	358.9	236	18.9	6.59	6.55
20	10/02/07	10:33	410.4	364.3	237	19.1	6.58	5.35
20	07/30/08	11:28	270.7	207.4	176	12.8	6.37	6.94
20	08/19/08	11:32	338.6	277	220	15.5	6.22	5.82
20	09/11/08	13:07	392.5	341.4	255	18.2	6.36	4.73
20	10/21/08	14:48	344.0	278.0	224	15.0	6.14	8.25
20	11/13/08	10:17	339.7	276.4	221	15.2	5.93	6.59
20	12/02/08	14:18	330.7	266.2	215	14.8	6.05	6.39
20	01/12/09	15:36	310.8	247.5	202	14.3	6.23	8.78
20	02/24/09	15:24	296.2	233.1	193	13.8	6.17	7.00
20	03/25/09	13:55	288.0	226.2	187	13.8	6.03	7.90
20	04/21/09	11:03	304.2	239.5	198	13.9	6.50	5.00
20	05/28/09	13:08	290.0	227.8	189	13.8	6.46	8.49
20	06/24/09	13:20	313.8	247.1	204	13.9	6.39	8.80
20	07/09/09	11:25	320.7	257.1	209	14.6	6.36	11.94
20	08/12/09	13:03	294.1	232.7	191	14.1	6.41	12.29
20	09/22/09	12:29	384.3	331.3	250	17.8	6.35	6.72
20	05/12/10	15:23	286.1	222.5	186	13.4	6.53	6.39

APPENDIX F

MAMMOTH CREEK STREAMFLOW

Mammoth Creek at Old Mammoth Road


Daily discharge in cubic feet per second												
Day	2009			2010								
	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1	6.50	8.40	7.10	7.13	9.70	8.59	9.07	18.88	46.25	100.84	23.39	7.63
2	6.77	9.38	7.21	7.61	9.62	8.88	8.76	18.88	69.56	85.35	21.33	7.63
3	7.09	10.68	6.97	7.71	9.69	8.63	8.58	22.36	87.17	78.72	20.30	7.63
4	7.28	9.84	7.01	7.84	9.98	9.45	8.55	27.02	116.50	71.35	20.69	6.68
5	7.48	8.59	6.82	7.80	11.46	9.07	8.92	24.18	164.02	67.06	20.59	6.13
6	7.00	7.29	6.58	7.96	11.09	8.79	10.24	24.45	212.78	66.38	20.16	6.31
7	6.86	7.99	5.98	8.13	9.05	8.70	9.68	25.61	236.51	63.08	20.16	6.50
8	6.78	8.26	8.31	7.90	7.81	8.58	10.76	26.28	216.94	61.12	19.73	5.95
9	6.83	8.57	7.04	7.88	7.64	8.81	11.12	24.96	201.30	55.97	19.73	5.95
10	6.80	8.58	7.61	8.06	7.34	8.44	11.19	21.97	166.47	56.44	16.82	6.50
11	6.68	8.73	8.69	7.48	6.86	8.85	10.40	21.88	127.16	56.50	15.62	6.50
12	6.72	8.49	9.09	7.19	7.11	9.14	11.83	23.54	92.91	56.10	16.02	6.31
13	8.90	8.13	10.25	8.27	7.20	9.50	10.50	23.60	75.80	57.04	16.33	6.13
14	29.47	7.28	8.19	7.11	7.10	9.40	10.43	24.30	75.82	57.43	12.97	5.60
15	13.41	7.65	8.64	6.90	7.16	9.18	10.62	26.50	95.07	51.93	15.13	5.77
16	12.38	7.81	9.17	6.47	7.25	9.34	11.78	29.04	115.05	52.52	13.46	6.31
17	14.33	7.60	8.59	6.62	7.29	9.48	12.51	30.25	98.45	53.71	13.12	6.13
18	15.23	6.70	7.82	5.69	7.59	8.73	12.88	27.79	94.48	48.37	11.64	6.50
19	13.89	6.94	7.72	7.67	7.56	8.71	14.46	28.54	92.06	44.46	11.45	6.13
20	13.72	7.15	7.88	6.78	7.66	8.79	15.82	31.02	89.67	41.03	12.58	6.13
21	13.54	6.18	7.41	8.07	7.86	8.92	13.97	30.41	89.17	36.11	11.00	6.50
22	13.18	6.28	7.74	9.24	8.19	8.74	15.23	26.37	87.47	34.48	10.89	6.13
23	13.24	6.11	6.99	7.61	7.67	8.88	14.46	24.68	93.27	31.72	10.85	6.31
24	13.13	6.21	6.81	7.18	9.54	8.81	16.41	22.83	104.33	29.33	11.17	6.31
25	12.63	6.44	6.62	7.08	8.48	8.02	18.46	22.74	105.93	41.68	10.86	6.31
26	11.69	6.72	6.43	7.68	7.99	8.15	20.16	21.89	117.37	57.24	10.34	6.13
27	12.75	7.15	6.39	10.00	10.58	8.70	21.03	23.93	113.92	41.12	9.58	5.77
28	13.44	8.05	6.32	8.89	9.25	9.48	17.63	33.55	117.36	31.23	9.54	6.11
29	13.55	7.39	6.98	8.75		10.10	17.22	24.13	121.03	28.24	8.94	6.18
30	13.75	7.25	6.97	9.11		10.78	16.41	32.41	111.35	28.18	9.68	6.44
31	9.87		6.40	9.26		10.63		37.83		23.89	9.91	
Average	11.13	7.73	7.48	7.78	8.42	9.04	12.97	25.87	117.84	51.89	14.64	6.35
Maximum	29.47	10.68	10.25	10.00	11.46	10.78	21.03	37.83	236.51	100.84	23.39	7.63
Minimum	6.50	6.11	5.98	5.69	6.86	8.02	8.55	18.88	46.25	23.89	8.94	5.60

Twin Falls Outflow

Daily discharge in cubic feet per second												
Day	2009			2010								
	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1	3.28	4.32	3.03	4.34	6.45	4.74	3.93	6.57	51.46	74.26	14.13	3.93
2	3.40	4.54	3.19	4.49	6.12	5.02	4.76	6.62	65.65	65.84	14.48	3.80
3	3.71	6.64	2.99	4.51	6.46	5.18	4.76	7.18	95.16	63.53	13.17	3.54
4	4.18	5.71	2.84	4.75	7.02	5.19	4.76	8.21	135.68	55.02	13.17	2.55
5	3.75	4.02	2.93	4.63	7.64	5.13	4.76	10.79	157.55	54.74	11.58	2.32
6	3.49	4.29	3.26	4.97	6.86	5.06	4.76	8.55	177.27	50.91	12.04	3.03
7	3.41	4.83	3.85	4.80	4.31	5.04	5.05	8.87	158.08	50.27	8.30	2.67
8	3.49	4.77	3.17	4.19	3.77	5.45	5.34	9.09	150.73	47.41	10.90	2.91
9	3.59	5.25	2.93	4.21	3.73	5.43	5.34	9.40	125.06	45.35	12.76	2.44
10	3.55	4.99	2.97	4.21	2.88	5.45	5.20	9.77	91.92	46.15	7.41	2.55
11	3.51	4.98	3.63	3.61	3.09	5.59	5.64	9.63	66.19	45.34	8.74	2.55
12	3.57	4.86	4.56	3.34	3.46	5.56	5.49	9.70	53.29	49.73	9.53	2.55
13	5.60	4.10	3.83	3.86	3.32	5.50	5.34	9.82	57.97	46.94	8.07	2.32
14	6.51	3.45	3.13	3.17	3.22	5.30	5.20	9.90	82.41	42.44	6.16	2.21
15	4.67	3.97	3.27	3.12	3.27	5.23	5.34	10.13	94.14	44.06	7.63	2.10
16	6.71	3.84	4.10	2.95	3.30	5.32	5.34	10.43	77.56	45.39	8.08	2.00
17	10.48	3.18	4.33	3.13	3.21	4.82	5.34	10.70	76.16	40.17	6.86	2.10
18	9.44	3.05	4.18	4.03	3.60	4.07	5.34	10.17	75.00	35.34	4.16	2.55
19	9.15	3.56	4.03	3.65	3.55	3.94	5.49	9.16	73.76	34.38	7.30	2.55
20	9.71	2.89	4.34	4.16	3.68	3.96	5.64	9.37	73.53	29.04	5.83	2.21
21	9.79	2.24	3.50	4.00	4.04	4.08	5.64	9.07	73.52	26.49	4.98	2.21
22	10.07	2.25	3.59	3.65	3.88	3.78	5.64	8.43	80.29	25.40	5.00	2.10
23	10.35	2.22	3.08	2.93	3.80	3.75	5.64	8.20	90.69	21.53	4.95	2.10
24	10.07	2.26	3.07	2.82	4.59	3.31	5.64	7.62	91.96	38.02	4.82	2.10
25	9.63	2.63	2.87	3.18	3.97	2.99	5.80	7.49	104.18	34.99	4.75	2.21
26	11.49	2.83	2.77	4.45	4.80	3.18	5.95	6.92	100.63	37.65	3.68	2.00
27	10.91	3.10	2.79	5.78	5.27	3.93	6.26	11.52	104.74	21.03	3.69	1.89
28	10.63	3.76	2.88	5.84	4.70	3.80	6.26	18.41	107.96	16.63	3.30	2.00
29	11.20	3.02	3.11	5.41		4.07	6.73	11.70	96.19	25.26	3.06	2.10
30	10.20	2.97	2.36	6.08		4.07	6.73	17.94	87.14	14.64	3.48	2.00
31	8.87		3.11	6.27		3.93		31.53		17.30	3.93	
Average	7.05	3.82	3.34	4.21	4.43	4.58	5.44	10.42	95.86	40.17	7.61	2.45
Maximum	11.49	6.64	4.56	6.27	7.64	5.59	6.73	31.53	177.27	74.26	14.48	3.93
Minimum	3.28	2.22	2.36	2.82	2.88	2.99	3.93	6.57	51.46	14.64	3.06	1.89


MAMMOTH COMMUNITY WATER DISTRICT
MAMMOTH CREEK
TWIN LAKES/OLD MAMMOTH

All Year




MAMMOTH COMMUNITY WATER DISTRICT
MAMMOTH CREEK
TWIN LAKES/OLD MAMMOTH

October-09




MAMMOTH COMMUNITY WATER DISTRICT
MAMMOTH CREEK
TWIN LAKES/OLD MAMMOTH

November-09




MAMMOTH COMMUNITY WATER DISTRICT
MAMMOTH CREEK
TWIN LAKES/OLD MAMMOTH

December-09




MAMMOTH COMMUNITY WATER DISTRICT
MAMMOTH CREEK
TWIN LAKES/OLD MAMMOTH

January-10




MAMMOTH COMMUNITY WATER DISTRICT
MAMMOTH CREEK
TWIN LAKES/OLD MAMMOTH

February-10




MAMMOTH COMMUNITY WATER DISTRICT
MAMMOTH CREEK
TWIN LAKES/OLD MAMMOTH

March-10




MAMMOTH COMMUNITY WATER DISTRICT
MAMMOTH CREEK
TWIN LAKES/OLD MAMMOTH

April-10




MAMMOTH COMMUNITY WATER DISTRICT
MAMMOTH CREEK
TWIN LAKES/OLD MAMMOTH

May-10



MAMMOTH COMMUNITY WATER DISTRICT
MAMMOTH CREEK
TWIN LAKES/OLD MAMMOTH

June-10



MAMMOTH COMMUNITY WATER DISTRICT
MAMMOTH CREEK
TWIN LAKES/OLD MAMMOTH

July-10



MAMMOTH COMMUNITY WATER DISTRICT
MAMMOTH CREEK
TWIN LAKES/OLD MAMMOTH

August-10



MAMMOTH COMMUNITY WATER DISTRICT
MAMMOTH CREEK
TWIN LAKES/OLD MAMMOTH

September-10

